


Product Tiers Guide

A Solution for Every Budget



All I Ever Wanted Is Everything

Engineering For What’s Next

USAI believes the specifier should have it all. As a solution-based lighting technology company built on a legacy of innovation, USAI’s engineering team designs for the next generation of thinking for lighting spaces, fixtures, and technologies.

Our comprehensive platform of traditional and innovative LED solutions focuses on achieving the perfect balance between color technology, optical design, and superior performance while providing flexibility to address the architectural design and budget challenges of any space across verticals in an ever-changing and dynamic world.

Specification Simplified

Product Tiers.

Committed to making the specification process easier, USAI has created a Product Pricing Tier System. This system helps designers understand the cost of fixtures and features from tier to tier.

Online Configurable Spec Sheets.

This new feature allows specifiers to easily configure USAI products online and generate a spec sheet based on a project's product specification. Using an ordering table similar to USAI's existing static PDF spec sheets, and logic built into the system, chances of errors are significantly reduced during the specification process.

Providing:

- Customized Spec Sheets
- Shorter Spec Sheets
- Option to Input Labels (project, specifier, fixture type, and notes)
- Smart Logic Only Offering Accurate Combinations
- Option to Have Custom Spec Sheet Emailed to You




Which USAI Lighting Product Is Right For Your Project?

USAI Lighting’s expansive product portfolio provides a solution for every project need and budget. Specify across tiers to meet budget requirements while maintaining a consistent roomside appearance.



SCAN for more details.

 **NOTE** specific drivers and accessories chosen may cause pricing to exceed Tier's base line.

Size	Product Family
1"	the LittleOnes®
1.25"	Micro Multi-Cell
1.75"	SliverLED®
3"	BeveLED Mini® TrueZero360™ True03™
4.5"	BeveLED® 2.2 True04™
5"	BeveLED BLOCK®
6"	BeveLED® 5.0
Multiple	Cylinders
Multiple	Integrated Solutions

TIER 1 \$ \$ \$ Budget Friendly.	TIER 2 \$ \$ \$ Lots to Love.	TIER 3 \$ \$ \$ The Ultimate.
the LittleOnes® Micro with 2+ :1 Driver Option	the LittleOnes® Micro with 1:1 Driver Option the LittleOnes® Zepto®	the LittleOnes® Zepto® with Integral Driver Option
Micro Multi-Cell 2-Cell	Micro Multi-Cell 2-Cell Micro Multi-Cell 4-Cell	Micro Multi-Cell 6-Cell Micro Multi-Cell 8-Cell Micro Multi-Cell 12-Cell
SliverLED® Primary® NXT	SliverLED® Classic White®	SliverLED® Complete Warm Glow® Dimming
BeveLED Mini® Primary® NXT BeveLED® Mini Primary® Retrofit	BeveLED Mini® Basic BeveLED Mini® Basic Pancake™ BeveLED Mini® Complete Classic White®	BeveLED Mini® Complete Warm Glow® Dimming BeveLED Mini® Complete Color Select® BeveLED Mini® Complete Infinite Color+® TrueZero360™ True03™
BeveLED® 2.2 Primary® NXT	BeveLED® 2.2 Basic	BeveLED® 2.2 Complete Warm Glow® Dimming BeveLED® 2.2 Complete Color Select® BeveLED® 2.2 Complete Infinite Color+® BeveLED® 2.2 Glow True04™
Not Available	Not Available	BeveLED BLOCK®
Not Available	Not Available	BeveLED® 5.0 Classic White® BeveLED® 5.0 Warm Glow® Dimming BeveLED® 5.0 Color Select®
Primary® NXT Cylinder	BeveLED Mini® Cylinder Classic White®	Micro Multi-Cell Pendant NanoLED® Cylinder NanoLED® Glow Cylinder BeveLED Mini® Cylinder BeveLED® 2.2 Cylinder
Not Available	PoE Lighting Trimless Acoustical Lighting Primary® and Basic USAI® for WoodWorks® BeveLED Mini® Classic White® USAI® for MetalWorks™ BeveLED Mini® Classic White® BeveLED® 2.2 Basic for 6" TechZone®	Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 for 6" TechZone® USAI® for Turf Design



Tier 1

Budget Friendly.

Tier 1 products allow specifiers to achieve USAI's refined aesthetic for budget-conscious projects and spaces.



LOW COST



HIGH CRI



SCAN FOR
more **Tier 1** details
on our website!

Budget Friendly. \$ ○ ○

Recessed



the LittleOnes[®] Micro

FEATURES

1.25" Aperture

2+ : 1 Fixture to
Driver Option

Up to **800**
Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed, Trimless, Millwork
New Construction,
Insulation Contact,
Chicago Plenum, Retrofit
Housing Options

7W

25° – 50° Beam Options



Classic White[®]



Dim-to-Warm +



T24/JA8



Declare Label Red
List Approved



BeveLED Mini[®] Primary[®] NXT

FEATURES

3" Aperture

Up to **1400**
Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed
(Available in White Only)

New Construction
and Insulation Contact
Housing Options

9W, 15W

25° – 50° Beam Options



Classic White[®]




Dim-to-Warm



Dim-to-Warm +



T24/JA8



BeveLED[®] 2.2 Primary[®] NXT

FEATURES

4.5" Aperture

Over **2700**
Delivered Lumens

Square + Round



Wall Wash



Adjustable
Downlight

Trimmed
(Available in White Only)

New Construction Housing

10W, 15W, 22W, 29W

20° – 55° Beam Options



Classic White[®]



Dim-to-Warm



Dim-to-Warm +

Surface Mounts



Primary[®] NXT Cylinder

FEATURES

3.5" Aperture

Up to **1375**
Delivered Lumens

Round



Downlight

Cable, Pendant Stem,
Surface-Mounted Junction
Boxes and Conduit, and
Surface Mounted Options

9W, 15W

35° – 65° Beam Options




Classic White[®]



Dim-to-Warm



Dim-to-Warm +



Project: 1410 Broadway
Lighting Designer: Atelier Lumiere, Inc.
Architect: TPG Architecture
Photograph: Veronica Bean

Recessed



Micro Multi-Cell

FEATURES

1.25" Aperture

Up to 500 Delivered Lumens

Rectilinear

Multi-Square Cells



Downlight




Wall Wash

Trimmed

Remote Driver Housing

8W

35° – 50° Beam Options



Classic White®



SliverLED® Primary® NXT

FEATURES

1.75" Aperture

Up to 1000 Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed (Available in White Only)


New Construction Housing

9W, 15W


25° – 50° Beam Options



Classic White®



Dim-to-Warm



Dim-to-Warm +



BeveLED® 2.2 Primary®

FEATURES

4.5" Aperture

Up to 1700 Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed (Available in White Only)


New Construction Housing

9W, 15W, 22W

30° – 95° Beam Options



Classic White®



Dim-to-Warm

Tier 1 Features

PERFORMANCE

Over **2700** Delivered Lumens

LED COLOR CHOICES

 Classic White®
2700K, 3000K, 3500K, 4000K
80+ and 90+ CRI

 Dim-to-Warm

 Dim-to-Warm 

SHAPES

Round and Square Recessed
Round Pendants and Surface Mounts

TRIMS & FINISHES

Standard Trim with Flange
White Finish

HOUSINGS

Standard Housings Under 4.5”
IC Housings

FUNCTIONALITY

Downlight, Adjustable, Wall Wash
Recessed, Downlight Pendants and
Surface Mounts

DIMMING


0-10V and Phase Dimming Down to 1%

CODE COMPLIANCE

 T24/JA8 Options

 Dry/Damp/Wet Locations

Budget Friendly.   





Tier 2

Lots to Love. Easy on Budget.

Tier 2 offers the best of both worlds: a range of beam spreads, trim styles, and dimming options to satisfy a broad selection of design needs, yet economically priced to satisfy competitive project requirements.



- MORE HOUSINGS
- MORE LUMEN CHOICES
- MORE FIXTURE FAMILIES
- TRIMMED/TRIMLESS MILLWORK
- MORE DRIVER OPTIONS



Recessed



the LittleOnes® Zepto®

FEATURES

1" Aperture

Up to **1100**
Delivered Lumens

Round



Downlight




Wall Wash

Microflange, Trimless


New Construction,
Insulation Contact

7W, 9W, 11W, 15W


35° – 45° Beam Options



Classic White®



T24/JA8



Declare Label Red
List Approved



BeveLED Mini® Basic

FEATURES

3" Aperture

Up to **1200**
Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork


New Construction,
Insulation Contact, Chicago
Plenum Housing Options

9W, 15W


20° – 50° Beam Options



Classic White®



Dim-to-Warm



Dim-to-Warm +



BeveLED® 2.2 Complete with Flat Housing

FEATURES

4.5" Aperture

Up to **3450**
Delivered Lumens

Square + Round



Downlight




Wall Wash

Trimmed, Trimless, Millwork


New Construction,
Insulation Contact, Chicago
Plenum Housing Options

9W, 12W, 16W, 24W,
33W, 36W

25° – 90° Beam Options



Classic White®



T24/JA8



Warm Glow®
Dimming



Declare Label Red
List Approved

Surface Mounts



BeveLED Mini® Cylinder

FEATURES

3.5" Aperture

Up to **2025**
Delivered Lumens

Square + Round



Downlight



Wall Wash




Adjustable

Cable, Pendant Stem,
Surface-Mounted Junction
Boxes and Conduit,
Surface Mounted Options

9W, 15W, 20W


15° – 65° Beam Options



Classic White®

Recessed

Integrated Solutions



**the LittleOnes®
Micro**


FEATURES


1.25" Aperture


1:1 Fixture to Driver Option

Up to **800** Delivered Lumens

Square + Round

 Downlight

 Wall Wash


 Adjustable


Trimmed, Trimless, Millwork


New Construction, Insulation Contact, Chicago Plenum, Retrofit Housing Options


9W

25° – 50° Beam Options

 Classic White®

 Dim-to-Warm +

 T24/JA8

 Declare Label Red List Approved



**the LittleOnes®
Micro Double**

FEATURES

1.25" Aperture

2+ and 1:1 Fixture to Driver Options

Up to **1600** Delivered Lumens

Square + Round

 Downlight - Double or Combo with Wall Wash

 Wall Wash- Double or Combo with Downlight

 Adjustable Double

Trimmed, Trimless

Integral and Remote Driver Housing Option for New Construction


14W-18W

25° – 50° Beam Options

 Classic White®

 Dim-to-Warm +

 Declare Label Red List Approved



Micro Multi-Cell

2-cell, 4-cell

FEATURES

1.25" Aperture

Up to **1000** Delivered Lumens

Rectilinear

 Downlight

 Wall Wash

 Adjustable

Trimmed, Trimless, Millwork

Remote Driver, Integral Driver Housing Options

8W, 13W

30° – 50° Beam Options

 Classic White®



**SliverLED®
Complete**

FEATURES

1.75" Aperture

Up to **1250** Delivered Lumens

Square + Round

 Downlight

 Wall Wash

 Adjustable

Trimmed

New Construction, Insulation Contact Housing Options

9W, 15W

15° – 50° Beam Options

 Classic White®

 T24/JA8

 2.3"

**BeveLED Mini®
Basic Pancake™**

All-In-One Adjustable

FEATURES

3" Aperture

Up to **1400** Delivered Lumens

Square + Round

 Adjustable Downlight

 Wall Wash

Trimmed, Trimless, Millwork

SuperFlat Adjustable, SuperFlat Insulation Contact Rated Housing Options


9W, 15W

20° – 50° TIR Optics Beam Options

 Classic White®

 Dim-to-Warm +

 T24/JA8




**BeveLED Mini®
Complete**


FEATURES

3" Aperture

Up to **2025** Delivered Lumens

Square + Round

 Downlight

 Wall Wash


 Adjustable


Trimmed, Trimless, Millwork


Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options


9W, 15W, 20W

15° – 65° Beam Options

 Classic White®

 T24/JA8

 Declare Label Red List Approved




**BeveLED® 2.2
Basic**


FEATURES


4.5" Aperture

Up to **2250** Delivered Lumens

Square + Round

 Downlight

 Wall Wash


 Adjustable


Trimmed, Trimless, Millwork

New Construction Narrow Width, New Construction, Chicago Plenum, Insulation Contact Housing Options


9W, 12W, 16W, 24W

25° – 90° Beam Options


 Classic White®




Armstrong® Ceiling Solutions





Trimless Acoustical Lighting BeveLED Mini® and BeveLED® 2.2 Basic and Primary®


 Classic White®




USAI® for WoodWorks® BeveLED Mini®


 Classic White®

 Declare Label Red List Approved





USAI® for MetalWorks™ BeveLED Mini®

 Classic White®



BeveLED® 2.2 Basic for 6" TechZone®

 Classic White®

 Declare Label Red List Approved

Tier 2 Features

EVERYTHING IN TIER 1 +

PERFORMANCE

Up to **3450** Delivered Lumens

SHAPES

Square Pendants and Surface Mounts

TRIMS & FINISHES

Trimmed, Trimless, Millwork
Deep Regress, Cross Baffle
Powdercoat Painted and
Anodized Finishes

HOUSINGS

More Shallow Housings Under 2.3"
All-In-One Housings (DL/WW/ADJ)
CP Housings

FUNCTIONALITY

Wall Wash Pendants and
Surface Mounts

DIMMING

More Dimming Options


CODE COMPLIANCE

Chicago Plenum
WELL Standard Compliant Options
Declare Label Red List Approved

INTEGRATED SOLUTIONS

Trimless Acoustical Lighting
Primary® and Basic
USAI® for WoodWorks®
BeveLED Mini® Classic White®
USAI® for MetalWorks™
BeveLED Mini® Classic White®
BeveLED® 2.2 Basic for 6" TechZone®
PoE Options

Lots to Love.   



Project: Slack
Lighting Designer: HLB Lighting Design
Architect: Semple Brown
Photograph: David Lauer Photography



Tier 3

The Ultimate Options.

Powerful and versatile, our most comprehensive offering provides maximum flexibility with a full assortment of product features including our extensive range of housing options to fit nearly every plenum and ceiling type imaginable, extensive range of wattage and color options, numerous trim styles and a wide range of beam angles and lenses.



ALL LED COLOR CHOICES

ALL HOUSING OPTIONS

LATEST INNOVATIVE TRENDS AND STYLES



SCAN FOR
more **Tier 3** details
on our website!

Recessed



BeveLED Mini® Complete

FEATURES

3" Aperture

Up to **2025**
Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 15W, 18W, 20W

15° – 65° Beam Options



Classic White®



Warm Glow® Dimming



Color Select® Tunable White



Infinite Color+®



T24/JA8



Declare Label Red List Approved



TrueZero^{360™}

FEATURES

3" Aperture

Up to **2575**
Delivered Lumens

Square



Downlight



Wall Wash



Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 15W, 18W, 20W, 29W

20° – 60° Beam Options



Classic White®



Warm Glow® Dimming



Color Select® Tunable White



Infinite Color+®



T24/JA8



Declare Label Red List Approved

Surface Mounts



BeveLED Mini® Adjustable Cylinder

FEATURES

3.5" Aperture

Up to **1950**
Delivered Lumens

Round



Adjustable

Surface Mounted with Integral and Remote Driver Options

9W, 12W, 15W, 18W, 20W

15° – 65° Beam Options



Classic White®



Warm Glow® Dimming



Color Select® Tunable White



Infinite Color+®

Recessed

Surface Mounts →



the LittleOnes[®]
Zepto[®]

FEATURES

1" Aperture

Integral Driver Option

Up to 1100
Delivered Lumens

Round

 Downlight

 Wall Wash

Microflange

New Construction


9W, 15W

35° – 45° Beam Options

 Classic White[®]

 T24/JA8

 Declare Label Red List Approved




Micro Multi-Cell


FEATURES


1.25" Aperture

Up to 3125
Delivered Lumens

Rectilinear

 Downlight

 Wall Wash


 Adjustable


Trimmed, Trimless, Millwork

Remote Driver, Integral Driver Housing Options

8W, 13W, 21W, 27W, 41W

30° – 50° Beam Options

 Classic White[®]




SliverLED[®]
Complete


FEATURES


1.75" Aperture

Up to 1250
Delivered Lumens

Square + Round

 Downlight

 Wall Wash


 Adjustable


Trimmed


New Construction, Insulation Contact Housing Options


9W, 15W, 16W

25° – 50° Beam Options

 Classic White[®]

 Warm Glow[®] Dimming

 T24/JA8




True03[™]


FEATURES


3" Aperture

Up to 1825
Delivered Lumens

Square + Round

 Downlight

 Wall Wash


 Adjustable


Trimmed, Trimless, Millwork


Flat New Construction, Flat Insulation Contact, Flat Adjustable, New Construction, Chicago Plenum, Insulation Contact Housing Options


9W, 12W, 15W, 18W, 20W

25° – 60° Beam Options

 Classic White[®]

 Warm Glow[®] Dimming

 Color Select[®] Tunable White



True04[™]

FEATURES

4" Aperture

Up to 3450
Delivered Lumens

Square + Round


 Downlight

Trimmed, Trimless, Millwork

New Construction Narrow Width Housing


9W, 12W, 16W, 24W, 32W, 33W, 36W

25° – 90° Beam Options

 Classic White[®]

 Warm Glow[®] Dimming

 Color Select[®] Tunable White




BeveLED[®] 5.0


FEATURES


6" Aperture

Up to 6025
Delivered Lumens

Square + Round

 Downlight

 Wall Wash


 Adjustable


Trimmed, Trimless, Millwork


New Construction Housing


40W, 60W, 80W

10° – 90° Beam Options

 Classic White[®]

 Warm Glow[®] Dimming

 Color Select[®] Tunable White




Micro Pendant

FEATURES

1.25" Aperture

Up to 3125
Delivered Lumens

Rectilinear


 Downlight

 Wall Wash

Pendant Stem and Surface-Mounted Junction Boxes and Conduit Options

8W, 13W, 21W, 27W, 41W

35° – 50° Beam Options

 Classic White[®]



NanoLED[®]
Cylinder

FEATURES

3" Aperture

Up to 1750
Delivered Lumens

Round

 Downlight


Cable, Pendant Stem, Surface-Mounted Junction Boxes and Conduit, Surface Mounted Options

9W, 15W, 20W

25° – 45° Beam Options

 Classic White[®]

More Surface Mounts




NanoLED® Glow Cylinder

FEATURES

3" Aperture

Up to **1750** Delivered Lumens


Round


 Downlight

Cable, Pendant Stem, Surface-Mounted Junction Boxes and Conduit, and Surface Mounted Options

9W, 15W, 20W

25° – 35° Beam Options

 Classic White®




BeveLED Mini® Cylinder


FEATURES


3.5" Aperture

Up to **2025** Delivered Lumens

Square + Round

 Downlight


 Wall Wash


 Adjustable


Cable, Pendant Stem, Surface-Mounted Junction Boxes and Conduit, and Surface Mounted Options


9W, 12W, 15W, 18W, 20W


15° – 65° Beam Options

 Classic White®

 Warm Glow® Dimming

 Color Select® Tunable White

 Infinite Color+®




BeveLED Block®


FEATURES

5" Aperture

Up to **2050** Delivered Lumens

Square + Round


 Downlight


 Wall Wash


Cable, Pendant Stem, Surface-Mounted Junction Boxes and Conduit, and Surface Mounted Options


9W, 12W, 16W, 24W

25° – 90° Beam Options

 Classic White®

 Warm Glow® Dimming

 T24/JA8




BeveLED® 2.2 Cylinder


FEATURES


6" Aperture

Up to **3450** Delivered Lumens

Round

 Downlight


 Wall Wash


 Adjustable


Cable, Pendant Stem, Surface-Mounted Junction Boxes and Conduit, and Surface Mounted Options


9W, 12W, 16W, 24W, 32W, 33W, 36W

25° – 90° Beam Options


 Classic White®

 Warm Glow® Dimming

 Color Select® Tunable White

 Infinite Color+®

Solutions for Unique Design Challenges



BeveLED Mini® + BeveLED® 2.2 Incline® for Sloped Ceilings


FEATURES

3", 4.5" Aperture

Up to **1900** Delivered Lumens - 3"

Up to **2975** Delivered Lumens - 4.5"

Square + Round


 Downlight


Trimmed, Trimless, Millwork


New Construction, Chicago Plenum, Insulation Contact Housing Options


9W, 12W, 15W, 16W, 18W, 20W, 24W, 32W, 33W, 36W


25°–70° Beam Options


 Classic White®

 Warm Glow® Dimming

 Color Select® Tunable White

 Infinite Color+®

 T24/JA8




BeveLED® 2.2 Glow

FEATURES

4.5" Aperture

Up to **2425** Delivered Lumens

Square + Round


 Downlight


Trimmed, Trimless, Millwork


Flat, New Construction, Narrow Width, Insulation Contact, and Chicago Plenum Housing Options


9W, 12W, 16W, 24W, 32W, 33W, 36W

Narrow, Medium Beam Options


 Classic White®

 Warm Glow® Dimming

 Color Select® Tunable White





 Infinite Color+®


Integrated Solutions



PoE Products

Various





   



Armstrong® Ceiling Solutions





Trimless Acoustical Complete

BeveLED Mini®, BeveLED® 2.2





USAI® for WoodWorks®

Micro, BeveLED Mini®, BeveLED® 2.2

USAI® for MetalWorks™




BeveLED Mini®, BeveLED® 2.2

Connect for 4" TechZone®




BeveLED Mini®, True03™

BeveLED 2.2 Complete for 6" TechZone®

Connect for Intersection Downlighting

SliverLED®, BeveLED Mini®, True03™





  

Turf Design

USAI® for Turf

Port and Urban Acoustical Tiles

BeveLED Mini®, BeveLED® 2.2




Tier 3 Features

EVERYTHING IN
TIER 1 & 2 +

PERFORMANCE

Up to **6025** Delivered Lumens

LED COLOR CHOICES

-  Warm Glow® Dimming
-  Color Select® Tunable White
-  Infinite Color+

SHAPES

Recessed Multiples

TRIMS & FINISHES

- Flush Glass Trims
- Custom Colors
- Natatorium Corrosion Resistance

HOUSINGS

All Housing Options Including
Sloped Ceilings

FUNCTIONALITY

Adjustable Pendants and
Surface Mounts

DIMMING

All Dimming Including DALI,
DMX Down to .1%

CODE COMPLIANCE

Emergency Battery Options

INTEGRATED SOLUTIONS

- Trimless Acoustical Lighting Complete
- More USAI® for WoodWorks®
- More USAI® for MetalWorks™
- Connect for Intersection Downlighting
- Connect for 4" TechZone®
- BeveLED® 2.2 Complete for 6" TechZone®
- USAI for Turf Design

The Ultimate.   

Project: Seminole Hard Rock Hotel & Casino
Lighting Designer: Focus Lighting
Architect: Rockwell Group
Photograph: Miami in Focus

Consider The Color of Light As An Essential Design Element

Light is equally as precious as the finishes and materials in a room. Every space, object, or task has an ideal shade of light to be lit by. Choosing the right light can make everything, everyone, and the experience extraordinary. USAI Lighting engineers are the trailblazers who innovated new possibilities and tools that were never before available – offering color temperatures ranging from 2200K to 6000K. These patented technologies provide design opportunities only limited by the imagination and include, Classic White®, Color Select®, Warm Glow® Dimming, and Infinite Color+®.

White Light Is Not Just One Hue

Not all white light looks the same. USAI's color technologies provide a remarkable range that can replicate the warmth of traditional light sources like incandescent and halogen, bring the outdoors in with a Daily Light™ cycle to mimic the sun's journey across the sky, or customized to create color pops and more.

The Power Of Color

Design drama and create a signature immersive lighting experience in any space with layered lighting in vibrant jewel tones, soft pastels or any color you can imagine.



See How Light Matters



SCAN to learn more about LED Color at USAI.


GUIDE TO USAI LED COLOR CHOICES



Project: New York Investment Firm
Lighting Designer: SBLD Studio
Architect: Studios Architecture
Photograph: @Bilyana Dimitrova

 **Classic White®**
Tier 1 2 3

EXPERIENCE Color Consistency and Premium Performance
CLIENT REQUIREMENTS Clients looking for beautiful consistent/static LED lights with exquisite dimming.



Project: FMC Tower at Cira Centre South,
Lighting Designer: CBBLD
Architect: Pelli Clarke Pelli, BLT Architects
Photograph: © Jeff Goldberg / Esto

 **Warm Glow® Dimming**
Tier 3

EXPERIENCE Uncompromised, Patented, Traditional Warmth in an LED
CLIENT REQUIREMENTS Clients who love their traditional light sources (halogens and incandescent) and want the same warmth and dimming experience with their LED.

 **Dim-to-Warm**  **Dim-to-Warm+**
Tier 1 2

EXPERIENCE Warmth in an LED
CLIENT REQUIREMENTS Clients requiring warm dimming options for budget-friendly and competitive projects.

Color Temperature Matters. What's right for your project?



 **Color Select® Tunable White**
Tier 3



















EXPERIENCE Daily Light Cycle Mimicking Outdoor Natural Light
CLIENT REQUIREMENTS Clients interested in bringing the outdoor light cycle inside for wellbeing benefits and personalized environments.



 **Infinite Color+®**
Tier 3

EXPERIENCE Full Spectrum of Colors from Personalized Whites to Saturated
CLIENT REQUIREMENTS Clients looking for the ultimate in dynamic lighting with the greatest flexibility – from bespoke experiences, to perfectly match layers of light from other fixtures.

A Solution for Every Budget

	TIER 1    Budget Friendly.	TIER 2    Lots to Love.	TIER 3    The Ultimate.
FEATURES		EVERYTHING IN TIER 1+	EVERYTHING IN TIER 1 & 2+
PERFORMANCE	Up to 2700 Delivered	Up to 3450 Delivered Lumens	Up to 6025 Delivered Lumens
LED COLOR CHOICES	 Classic White® 2700K, 3000K, 3500K, 4000K 80+ and 90+ CRI  Dim-to-Warm  Dim-to-Warm+	+ Same As Tier 1 Options	 Warm Glow® Dimming  Color Select® Tunable White  Infinite Color+®
SHAPES	Round and Square Recessed Round Pendants and Surface Mounts	+ Square Pendants and Surface Mounts	+ Multi-Head Recessed Fixtures
TRIMS & FINISHES	Standard Trim with Flange White Finish	+ Trimmed, Trimless, Millwork Deep Regress, Cross Baffle Powdercoat Painted and Anodized Finishes	+ Flush Glass Trims Custom Colors Natatorium Corrosion Resistance
HOUSINGS	Standard Housings Under 4.5" IC Housings	+ More Shallow Housings Under 2.3" All-In-One Housings (DL/WW/ADJ) CP Housings	+ All Housing Options Including Sloped Ceilings
FUNCTIONALITY	Downlight, Adjustable, Wall Wash Recessed, Downlight Pendants and Surface Mounts	+ Wall Wash Pendants and Surface Mounts	+ Adjustable Pendants and Surface Mounts
DIMMING	0-10V and Phase Dimming Down to 1%	+ More Dimming Options	+ All Dimming Including DALI, DMX Down to .1%
CODE COMPLIANCE	 T24/IA8 Options  Declare Label Red List Approved  Dry/Damp/Wet Locations	+ Chicago Plenum WELL Standard Compliant Options	+ Emergency Battery Options
INTEGRATED SOLUTIONS		Trimless Acoustical Lighting Primary® and Basic USAI® for WoodWorks® BeveLED Mini® Classic White® USAI® for MetalWorks™ BeveLED Mini® Classic White® BeveLED® 2.2 Basic for 6" TechZone® PoE Options	+ Trimless Acoustical Lighting Complete More USAI® for WoodWorks® More USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 Complete for 6" TechZone® USAI® for Turf Design