

### BUILDING BLOCK(S)









### (UN)FINISHED CEILINGS... CELEBRATED

WITH BEVELED BLOCK® BEAUTIFUL, HIGH-PERFORMANCE ARCHITECTURAL DOWNLIGHTING IS NOW POSSIBLE FOR ALL OF THE SPACES WE LIVE, WORK AND PLAY IN, EVEN WITH EXPOSED CEILINGS.





# MORE THE NEW 21ST-CENTURY CLASSIC Block brings precision downlighting to exposed ceiling installations while maximizing every inch of ceiling height. Block works everywhere, whether connected to exposed conduit or concealed within architectural interiors. USAILIGHTING.COM 3



### VERSATILITY IS OUR STANDARD



#### CONFIGURE IN THE FIELD, ON THE SPOT

USAI's easy-to-use conduit cut out keys can be reconfigured in the field to provide easy access to any surface-mounted conduit layout. Final orientation can be set on-site.





# UNIVERSAL APPEAL

BeveLED Block works with any surface, never sacrificing aesthetics or ceiling height. Our full family offers a complete solution, with downlight and wall wash available in both round and square shapes. Choose from surface mount and suspension options to use Block with any ceiling height.





#### **CHOOSE YOUR LIGHT, CHOOSE YOUR FINISH**

USAI offers 5 standard finish options tailor-made to match a full spectrum of interior tones, with an unlimited array of custom colors available for personalization. USAI's LED color

### UNLIMITED CHOICES



#### **CLASSIC WHITE**

With USAI's Color Harmony, consistent and uniform classic white light illuminates spaces with an exact color match from fixture to fixture within a 2-Step MacAdam ellipse.



#### WARM GLOW DIMMING

USAI's Warm Glow Dimming provides the warmth and glow of incandescent, with all of the benefits of LED. Warm Glow technology gradually transitions from 2700K, 3000K or 3500K down to 2200K as you dim, and the result is virtually indistinguishable from an incandescent light source.

DELIVERED PERFORMANCE*	CLASSIC WHITE								• WARM GLOW DIMMING 2700K, 3000K, 3500K	
AVAILABLE COLOR TEMPERATURES	2200К, 2700К, 3000К, 3500К, 4000К									
WATTAGE	9W		12W		16W		24W		16W	
COLOR RENDERING INDEX	80+	90+	80+	90+	80+	90+	80+	90+	80+	90+
SOURCE LUMENS	1150	900	1300	1025	1750	1350	2400	1875	1275	1025
LUMENS PER WATT	100	74	93	73	93	72	86	67	70	57
DELIVERED LUMENS (DOWNLIGHT)	850	675	1125	875	1475	1150	2050	1600	1125	900
BEAM SPREAD	25°, 50°, 90°, WALL WASH								30°, 50°, 90°	

<sup>\*</sup>Performance values shown are for BeveLED Block square downlight at 3000K. See IES files for exact values at usailighting.com.





choices enhance any space with Classic White light, which offers consistently beautiful white light in neutral shades, from warm white to cool white. Our patented Warm Glow Dimming dims to warm candlelight.

### ULTIMATE FLEXIBILITY

#### **ADAPTS TO ANY SITUATION**

Each BeveLED Block comes with 3 solid keys and 3 conduit cut out keys, which can be easily moved around and reconfigured in the field to accommodate any conduit layout you may have on-site.








Solid Key

Conduit Cut Out Key






## THE RIGHT LIGHT, TWENTY-FOUR, SEVEN Each space has a unique set of ceiling requirements, and USAI's full product family can meet them. Use BeveLED Block in double height or slab ceilings along with companion products BeveLED Micro® and BeveLED Mini®, in prominent locations or where a discreet but powerful alternative is needed. And every member of the USAI family will provide beautiful, consistent light that matches in color and quality from fixture to fixture. USALIGHTING.COM 11







### BeveLED BLOCK®

With USAI's Classic White light and patented Warm Glow Dimming LED technology, BeveLED Block's unparalleled technical excellence fits where recessed lights cannot. Round and square, downlight and wall wash—in both surface and pendant-mounted configurations—are all possible for finished and exposed ceilings. Block is available in a variety of standard finishes and can be custom configured for your needs.

