
Fall 2026 Update

Product Tiers Guide

A Solution for Every Budget



All I Ever Wanted is Everything®

ENGINEERING FOR WHAT'S NEXT

USAI is a solution-based lighting technology company built on a legacy of innovation.

Our engineering team designs comprehensive LED solutions that balance color technology, optical performance, and architectural flexibility — across any space, any budget, any vertical.

SPECIFICATION, SIMPLIFIED

Product Tiers

USAI's pricing tiered guide that makes it easy to understand fixture and feature costs across USAI's comprehensive product lineup — so budgeting is clear from the start.

Remote Driver Applications Assistance

USAI's dedicated service evaluates each project's remote dimming driver and enclosure needs, taking the guesswork out of remote driver specification.

Online Configurable Spec Sheets

Specifiers can configure USAI products and generate a custom spec sheet instantly — reducing errors and saving time.



Project: TWA Flight Center Hotel
Lighting Design: Cooley Monato Lighting
Photograph: Eric Laignel

Contents

03 Product Tiers Overview
05 **TIER 0** Budget Friendly.
07 **TIER 1** The Essentials.
13 **TIER 2** More Features. Lots to Love.
19 **TIER 3** Full Features. The Ultimate.
27 USAI Connect LV+ Centralized Power System
29 USAI X Partnerships & Integrations
31 USAI LED Color Guide

Which USAI® Lighting Product is Right For Your Project?

USAI Lighting's expansive product portfolio provides a solution for every project need and budget. Specify across tiers to meet budget requirements while maintaining a consistent roomside appearance.

Size	Product Family	TIER 0 Budget Friendly.	TIER 1 $ The Essentials.	TIER 2 $ $ More Features. Lots to Love.	TIER 3 $ $ $ Full Features. The Ultimate.
1"	**the LittleOnes®** recessed		**the LittleOnes® Micro**	**the LittleOnes® Zepto®** **the LittleOnes® Micro Doubles**	
1.25"	**Micro Multi-Cell** recessed			**Micro Multi-Cell**	
1.75"	**SliverLED®** recessed		**SliverLED® Primary® NXT**		
2"	**the LittleTwos® NXT** recessed			**the LittleTwos® NXT**	**the LittleTwos® NXT Universal All-In-One** **the LittleTwos® NXT Multiples**
3"	**BeveLED Mini®** **TrueZero360®** recessed	**USAI Zero™**	**BeveLED Mini® Primary® NXT** **BeveLED® Mini Primary® Retrofit**	**BeveLED Mini® Basic** **BeveLED Mini® Basic Pancake®** **Small In One™ - Mini** **BeveLED Mini® Complete** • Classic White® **TrueZero360®** • Classic White®	**Small In One™ - Mini Multiples** **BeveLED Mini® Complete** • Warm Glow® Dimming • Color Select® • Infinite Color+® **TrueZero360®** • Warm Glow® Dimming • Color Select® • Infinite Color+®
4.5"	**BeveLED® 2.2** recessed		**BeveLED® 2.2 Primary® NXT**	**BeveLED® 2.2 Basic**	**BeveLED® 2.2 Complete** **BeveLED® 2.2 Glow** **BeveLED® 2.2 Doubles**
5"	**BeveLED Block®** pendants & surface mounts				**BeveLED Block®**
6"	**BeveLED® 5.0** recessed				**BeveLED® 5.0**
1.25" - 6"	**Cylinders & Pendants**	**USAI Zero™ Cylinder**	**Primary® NXT Cylinder**	**the LittleTwos® Cylinder** **BeveLED Mini® Cylinder**	**Micro Multi-Cell Pendant** **NanoLED® Cylinder** **BeveLED® 2.2 Cylinder**
1.25" - 4.5"	**Integrated Solutions** recessed and surface mounts			**PoE Lighting** **Trimless Acoustical Lighting** **BeveLED Mini® Basic**	**Trimless Acoustical Lighting Complete** **USAI® for WoodWorks®** **USAI® for MetalWorks™** **BeveLED Mini® for Intersection Downlighting** **BeveLED Mini® for 4" TechZone®** **BeveLED® 2.2 for 6" TechZone®** **USAI® for Turf Design**

SCAN for more details.

NOTE specific drivers and accessories chosen may cause pricing to exceed Tier's base line.

Tier 0

Budget Friendly.

Tier 0 products are a price-sensitive offering with a pared-down selection focused on core requirements.

Low Cost

High CRI Options Available

USAI Connect LV+ Centralized Power System

NOTE Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.

SCAN FOR more TIER 0 details on our website!

Recessed

USAI Zero™

FEATURES

3" Aperture

Up to **1000** Delivered Lumens

Square + Round

Downlight

Adjustable

Trimmed, Trimless

IC Rated and New Construction

10W

30°– 80° Beam Options

Classic White®

T24/JA8

USAI Connect® LV+

Pendant & Surface Mounts



USAI Zero™ Cylinder

FEATURES

3" Aperture

Up to **1000** Delivered Lumens

Round

Downlight

Surface, Cable, Stem

15W

30°– 80° Beam Options

Classic White®

T24/JA8

USAI Connect® LV+

Tier 1

The Essentials.

Tier 1 products allow specifiers to achieve USAI's refined aesthetic for budget-conscious projects and spaces.

Low Cost

High CRI Options Available

USAI Connect LV+ Centralized Power System

NOTE Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.

SCAN FOR more **TIER 1** details on our website!

Recessed

Pendant & Surface Mounts

the LittleOnes® Micro

FEATURES

1.25" Aperture

Up to **800** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork

Retrofit, New Construction, Insulation Contact and Chicago Plenum Housing Options

Multiple Fixture to Driver Options

7W, 9W

25°– 50° Beam Options

Classic White®

Dim-to-Warm +

T24/JA8

Declare Label Red List Approved

USAI Connect® LV+



BeveLED Mini® Primary® NXT

FEATURES

3" Aperture

Up to **1400** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless

New Construction and Insulation Contact Housing Options

9W, 15W

25°– 50° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

T24/JA8



BeveLED® 2.2 Primary® NXT

FEATURES

4.5" Aperture

Up to **2350** Delivered Lumens

Square + Round

Adjustable Downlight

Wall Wash

Trimmed, Trimless, Millwork

New Construction and Insulation Contact Housing Options

9W, 15W, 20W, 29W

20°– 55° Beam Options

Classic White®

T24/JA8



Primary® NXT Cylinder

FEATURES

3.5" Aperture

Up to **1375** Delivered Lumens

Round

Downlight

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 15W

35°– 65° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

SliverLED® Primary® NXT
1.75"

Primary® NXT
Cylinder
3.5"

Recessed



SliverLED® Primary® NXT

FEATURES

1.75" Aperture

Up to **1400** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Flush Mount

New Construction and Insulation Contact Housing Options

9W, 15W

25°– 50° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

T24/JA8

Tier 1 Features

PERFORMANCE

Over **2300** Delivered Lumens

LED COLOR CHOICES

Classic White®
2200K, 2400K, 2700K, 3000K, 3500K, 4000K
80+ and 90+ CRI

Dim-to-Warm

Dim-to-Warm +

SHAPES

Round and Square Recessed
Round Pendants and Surface Mounts

TRIMS & FINISHES

Trimmed, Trimless, Millwork
Standard USAI Finishes

HOUSINGS

New Construction and IC Housings
Install-from-Below - the LittleOnes® Micro

FUNCTIONALITY

Recessed: Downlight, Adjustable, Wall Wash
Surface Mounts and Pendants: Downlight

DIMMING

0-10V and Phase Dimming Down to 1%
Tri Mode Drivers

LIGHTING SYSTEM + CODE COMPLIANCE

USAI Connect® LV+

T24/JA8 Options

Dry/Damp/Wet Locations

Declare Label Red List Approved



the LittleOnes® Micro®
1.25"

Project: David Zwirner Office Headquarters
Lighting Designer: Map Design Studio
Architect: Selldorf Architects
Photograph: Colby Edwards

Tier 2

More Features. Lots to Love.

Tier 2 offers the best of both worlds: a range of beam spreads, trim styles, and dimming options to satisfy a broad selection of design needs, yet economically priced to satisfy competitive project requirements.

Narrow Beams

More Housings

More Light Output

More Fixture Families

More Driver Options

NOTE Specific drivers, color technologies, finishes and accessories chosen may cause pricing to exceed Tier's base line.

SCAN FOR more **TIER 2** details on our website!

Recessed



the LittleOnes® Zepto®

FEATURES

1" Aperture

Up to **1100** Delivered Lumens

Round

Downlight

Wall Wash

Trimmed, Trimless, Millwork

New Construction, Insulation Contact

Multiple Fixture to Driver Options

7W, 9W, 11W, 15W

30°– 45° Beam Options

Classic White®

T24/JA8

Declare Label Red List Approved



the LittleTwos® NXT *

FEATURES

2" Aperture

Up to **1875** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork, Pinhole, Glow Glass

Retrofit, New Construction, Insulation Contact and Chicago Plenum Housing Options

Multiple Fixture to Driver Options

7W, 9W, 11W, 15W, 20W

10°– 65° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

T24/JA8

Declare Label Red List Approved

USAI Connect® LV+

*Additional features and color tech available in Tier 3

Small In One™ - Mini

Install-from-Below Perfected

FEATURES

3" Aperture

Over **2000** Delivered Lumens

Square + Round

Adjustable Downlight

Wall Wash

Trimmed, Trimless, Millwork, Pinhole

Standard (RT) with integral flex-driver case optional, IC-rated (RTIC), New Construction (NCT), Insulation-Contract Rated Housing (NCTIC), Fire-Rated System (RTIC only), Direct Pour Concrete (DPR)

9W, 15W, 20W

10°– 65° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

T24/JA8

Declare Label Red List Approved

USAI Connect® LV+

Pendant & Surface Mounts



the LittleTwos® Cylinder

FEATURES

2" Aperture

Up to **1050** Delivered Lumens

Round

Downlight

Wall Wash

Adjustable

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

7W, 9W, 11W, 15W

15°– 70° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

T24/JA8

Declare Label Red List Approved

USAI Connect® LV+

Recessed



the LittleOnes® Micro Doubles

FEATURES

1.25" Aperture x2

Up to **800**
Delivered Lumens Per Head (x2)

Square + Round

Downlight - Double or Combo with Wall Wash

Wall Wash- Double or Combo with Downlight

Adjustable Double

Trimmed, Trimless

Integral and Remote Driver Housing Option for New Construction

14W-18W


25°– 50° Beam Options

Classic White®

Dim-to-Warm +

Declare Label Red List Approved

USAI Connect® LV+



Micro Multi-Cell
2-cell, 4-cell, 6-cell, 8-cell, 12-cell

FEATURES

1.25" Aperture

Up to **3125**
Delivered Lumens

Rectilinear

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork

Remote Driver, Integral Driver Housing Options

5W, 8W, 10W, 13W, 16W, 20W, 21W, 27W, 32W, 41W

30°– 50° Beam Options

Classic White®



BeveLED Mini® Basic

FEATURES

3" Aperture

Up to **1225**
Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork

New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 15W

20°– 50° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

T24/JA8



BeveLED Mini® Basic Pancake®
All-In-One Adjustable

FEATURES

3" Aperture

Up to **1400**
Delivered Lumens

Square + Round

Adjustable Downlight

Wall Wash

Trimmed, Trimless, Millwork

SuperFlat Adjustable, SuperFlat Insulation Contact Rated Housing Options

Multiple Fixture to Driver Options

9W, 15W

10°– 50° TIR Optics Beam Options

Classic White®

Dim-to-Warm +

T24/JA8

Pendant & Surface Mounts

BeveLED Mini® Complete*

FEATURES

3" Aperture

Up to **2200**
Delivered Lumens

Square + Round

Downlight

Trimmed, Trimless, Millwork

Flat, Insulation Contact Housing Options

9W, 11W, 14W, 15W, 17W, 20W

6°– 65° Beam Options

Classic White®

T24/JA8

Declare Label Red List Approved

*Additional features and color tech available in Tier 3



TrueZero$^{360®}$

FEATURES

3" Aperture

Up to **2550**
Delivered Lumens

Square + Round

Downlight

Trimmed, Trimless, Millwork

Flat, Insulation Contact Housing Options

9W, 15W, 20W

25°– 60° Beam Options

Classic White®

T24/JA8



BeveLED® 2.2 Basic

FEATURES

4.5" Aperture

Up to **2250**
Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable


Trimmed, Trimless, Millwork

New Construction Narrow Width, New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 16W, 24W

25°– 90° Beam Options

Classic White®



BeveLED Mini® Cylinder*

FEATURES

3.5" Aperture

Up to **2025**
Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 15W, 20W

15°– 65° Beam Options

Classic White®

*Additional features and color tech available in Tier 3

Tier 2
Features

Everything in Tier 1 +

PERFORMANCE

Up to **2550** Delivered Lumens

SHAPES

Square Pendants and Surface Mounts

TRIMS & FINISHES

Deep Regress, Cross Baffle
Anodized Finishes

HOUSINGS

Shallow Housings Under 2″

NARROW BEAMS

6° + 10° Point Perfect Beams

FUNCTIONALITY

Wall Wash Pendants and
Surface Mounts

DIMMING

More Dimming Options

CODE COMPLIANCE

CP Chicago Plenum

INTEGRATED SOLUTIONS

Trimless Acoustical Lighting Basic

PoE Options

BeveLED Mini®
Cylinder

Project: Balboa Surf Club
Architect: Michael Hsu Office of Architecture
Photograph: Chase Daniel

Tier 3

Full Features. The Ultimate.

Powerful and versatile, our most comprehensive offering provides maximum flexibility with a full assortment of product features including our extensive range of housing options to fit nearly every plenum and ceiling type imaginable, extensive range of wattage and color options, numerous trim styles and a wide range of beam angles and lenses.

All I Ever Wanted Is Everything®

All Led Color Choices

All Housing Options

Latest Innovative Trends and Styles

SCAN FOR
more **TIER 3** details
on our website!

Recessed

Pendants & Surface Mounts



the LittleTwos® NXT Universal All-In-One

FEATURES

2" Aperture

Up to **1875** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork, Pinhole, Glow Glass

Universal All-In-One Housing

7W, 9W, 11W, 15W, 20W

10°– 65° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

BeveLED Mini® Complete

FEATURES

3" Aperture

Up to **2200** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 11W, 14W, 15W, 17W, 20W

6°– 65° Beam Options

Classic White®

Warm Glow® Dimming

Color Select® Tunable White

Infinite Color+®

T24/JA8

Declare Label Red List Approved



BeveLED® 2.2 Complete

FEATURES

4.5" Aperture

Up to **3450** Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Narrow Width, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W

10°– 90° Beam Options

Classic White®


Warm Glow® Dimming

Color Select® Tunable White

Infinite Color+®

T24/JA8

Declare Label Red List Approved



BeveLED Mini® Adjustable Cylinder

FEATURES

3.5" Aperture

Up to **1950** Delivered Lumens

Round

Adjustable

Surface Mounted with Integral and Remote Driver Options

9W, 12W, 15W, 18W, 20W

15°– 65° Beam Options

Classic White®

Warm Glow® Dimming

Color Select® Tunable White

Infinite Color+®

Recessed

the LittleTwos® NXT Multiples

FEATURES

2" Aperture x 2, x3, x4

Up to **1400**
Delivered Lumens Per Head
(x2, x3, x4)

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Pinhole, Glow Glass

New Construction Tray

9W, 7W, 11W, 15W

10°– 75° Beam Options

Classic White®

Warm Glow® Dimming

Color Select® Tunable White

Declare Label Red List Approved

USAI Connect® LV+



Small In One™ - Mini Multiples

FEATURES

3" Aperture x 2, x3, x4

Up to **1550**
Delivered Lumens Per Head
(x2, x3, x4)

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless, Pinhole

New Construction Tray

9W, 15W


10°– 65° Beam Options

Classic White®

Dim-to-Warm

Dim-to-Warm +

USAI Connect® LV+



BeveLED® 2.2 Doubles

FEATURES

4.5" Aperture x2

Up to **2750**
Delivered Lumens Per Head
(x2, x3, x4)

Square + Round

Adjustable

Trimmed, Trimless


New Construction Double Head Housing

9W, 12W, 16W, 24W, 33W

10°– 85° Beam Options

Classic White®

Warm Glow® Dimming



BeveLED® 5.0

FEATURES

6" Aperture

Up to **7725**
Delivered Lumens

Square + Round

Downlight

Wall Wash

Adjustable

Trimmed, Trimless

New Construction Housing

40W, 60W, 80W

10°– 80° Beam Options

Classic White®

Warm Glow® Dimming

Color Select® Tunable White

Pendants & Surface Mounts



Micro Pendant
2-cell, 4-cell, 6-cell, 8-cell, 12-cell

FEATURES

1.25" Aperture

Multiple Fixture to Driver Options

Up to **3125**
Delivered Lumens

Rectilinear

Downlight

Wall Wash

Pendant Stem and Conduit Cutout Options

5W, 8W, 10W, 13W, 16W, 20W, 21W, 27W, 32W, 41W

35°– 50° Beam Options

Classic White®



NanoLED® Cylinder

FEATURES

3" Aperture

Up to **1750**
Delivered Lumens

Round

Downlight


Glow Glass

Cable, Pendant Stem, Surface-Mounted Junction Boxes and Conduit, Surface Mounted Options

9W, 15W, 20W

25°– 45° Beam Options

Classic White®



BeveLED Block®

FEATURES

5" Aperture

Up to **2050**
Delivered Lumens

Square + Round

Downlight

Wall Wash

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options


9W, 12W, 16W, 24W

25°– 90°Beam Options

Classic White®

Warm Glow® Dimming

T24/JA8



BeveLED® 2.2 Cylinder

FEATURES

6" Aperture

Up to **3450**
Delivered Lumens

Round

Downlight

Wall Wash

Adjustable

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 12W, 16W, 24W, 32W, 33W, 36W

25°– 90°Beam Options

Classic White®

Warm Glow® Dimming


Color Select® Tunable White

Infinite Color+®



Project: Vital Energy
Lighting Design: Inventure Design
Photograph: Sean Fleming

Solutions for Unique Design Challenges



BeveLED Mini® + BeveLED® 2.2 Incline® for Sloped Ceilings

FEATURES

3", 4.5" Aperture

Up to **1900**
Delivered Lumens - 3"

Up to **2975**
Delivered Lumens - 4.5"

Square + Round

Downlight

Trimmed, Trimless, Millwork

New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 15W, 16W, 18W, 20W, 24W, 32W, 33W, 36W

25° – 70° Beam Options

Classic White®

Warm Glow® Dimming

Color Select® Tunable White

Infinite Color+®

T24/JA8



BeveLED® 2.2 Glow

FEATURES

4.5" Aperture

Up to **2425**
Delivered Lumens

Square + Round

Downlight

Trimmed, Trimless, Millwork

Flat, New Construction, Narrow Width, Insulation Contact, and Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W

Narrow, Medium Beam Options

Classic White®

Warm Glow® Dimming

Color Select® Tunable White

Infinite Color+®

Declare Label Red List Approved

Tier 3
Features

Everything in Tier 1 & 2+

PERFORMANCE

Up to **7725** Delivered Lumens

LED COLOR CHOICES

Warm Glow Dimming®
Color Select® Tunable White
Infinite Color+®

TRIMS & FINISHES

Glow Glass Trims
Custom Colors
Natatorium Corrosion Resistance

HOUSINGS

All Housing Options Including Sloped Ceilings

FUNCTIONALITY

Adjustable Pendants and Surface Mounts

DIMMING

All Dimming Including DALI, DMX Down to .1%

CODE COMPLIANCE

Emergency Battery Options

INTEGRATED SOLUTIONS

Trimless Acoustical Lighting Complete
More USAI® for WoodWorks®
More USAI® for MetalWorks™
Connect for Intersection Downlighting
Connect for 4" TechZone®
BeveLED® 2.2 for 6" TechZone®
USAI for Turf Design

BeveLED® 2.2
Glow Infinite
Color+®

Project: Lumen West
Architect: Gensler
Lighting Designer: HLB
Photography: Courtesy of StandardVision



USAI Connect® LV+

CENTRALIZED POWER SYSTEM

Less Cost. Less Space. More Sense.

Lighting spaces with small fixtures just got easier and less expensive

The next evolution of small in LED lighting has arrived. The USAI Connect® LV+ Centralized Power System is a breakthrough Low Voltage, Multi-Zone Lighting Platform engineered to deliver maximum performance from standard compact, high-output, high-performance fixtures with minimal space and extraordinary efficiency – dramatically reducing costs, while providing a lower impact on the environment. Compatible with existing USAI Lighting 1"- 3" small aperture products and leading architectural lighting controls systems, USAI Connect® gives specifiers the flexibility they need—without sacrificing performance.



Fixture Control Module



Centralized Power Unit

REACH
200 FT
From Remote Power to Last Fixture

CONTROL
4 ZONES
Per Single Power Supply

FLAWLESS
0.5%
Flicker-Free Dimming

- Significantly Reduces Fixture and Installation Costs
- Mix and Match Watts and Fixtures Per Zone
- Polarity Protected

USAI Connected Products



TIER 0
3" USAI Zero

Up to 1000 delivered lumens
3W, 7W, 9W, 13W



TIER 1
1.25" the LittleOnes® Micro

Up to 800 delivered lumens
3W, 7W, 9W



TIER 2
1.25" the LittleOnes® Micro Doubles

Up to 800 delivered lumens
per head (x2)
3W, 7W, 9W per head (x2)



TIER 2
2" the LittleTwos® NXT

Up to 1250 delivered lumens
3W, 7W, 9W, 13W



TIER 2
2" the LittleTwos® Cylinder

Up to 1000 delivered lumens
3W, 7W, 9W, 13W



TIER 2
3" Small In One™ - Mini

Up to 1400 delivered lumens
3W, 7W, 9W, 13W



TIER 3
2" the LittleTwos® NXT Multiples

Up to 1250 delivered per head (x2, x3, x4)
3W, 7W, 9W, 13W per head (x2, x3, x4)



TIER 3
3" Small In One™ - Mini Multiples

Up to 1400 delivered lumens per head (x2, x3, x4)
3W, 7W, 9W, 13W per head (x2, x3, x4)

USAI X
Partnerships and Integrations

At USAI Lighting, we partner with the industry's leading ceiling manufacturers and PoE technology providers to deliver coordinated, precision-integrated lighting solutions. Through close collaboration and deep engineering expertise, we ensure clean, consistent compatibility across a wide range of ceiling systems and Power over Ethernet platforms — so every detail aligns, from specification to installation.

Integrations

TIER 2, TIER 3

Armstrong® World Industries



Trimless Acoustical
BeveLED Mini® 3"
BeveLED® 2.2 4.5"



USAI + MetalWorks™ Ceiling Systems
BeveLED Mini® 3"
BeveLED® 2.2 4.5"



USAI + WoodWorks® Ceiling Systems
Micro Multi-Cell 1.25"
BeveLED Mini® 3"
BeveLED® 2.2 4.5"



USAI + TechZone®
BeveLED Mini® 3"
BeveLED® 2.2 4.5"

SCAN **For More Details**

Other Integrations



USAI + Turf Design
BeveLED Mini® 3"
BeveLED® 2.2 4.5"
Micro Multi-Cell 1.25"



USAI Ceiling MODs
Various USAI Lighting Product Families



USAI for PoE
Various USAI Lighting Product Families

PAGE 29
Project: Oceanside Library
Architect: MDA Designgroup Architects and Planners
Photograph: Robert Lowell Photography

TRIMLESS ACOUSTICAL
Project: Bardin Hill Investments
Architect: TPG Architecture
Photograph: © Tom Sibley Photography

USAI + WOODWORKS® CEILING SYSTEMS
Project: Orlando College of Osteopathic Medicine
Architect: Baker Barrios
Photographer: Courtesy of Armstrong® World Industries

USAI + TECHZONE®
Project: White & Case
Lighting Designer: SBLD Studio
Architects: HOK, HYL Architecture
Photograph: Eric Laignel

USAI FOR POE
Project: Dentsu
Lighting Designer: Loop Lighting
Architect: Studios Architecture NYC
Photograph: Angie McMonigal Photography



Project: Bowery Hotel
Lighting Designer: Tillotson
Photograph: Narek Tashdjian

Consider The Color of Light as an Essential Design Element

Light is equally as precious as the finishes and materials in a room. Every space, object, or task has an ideal shade of light to be lit by. Choosing the right light can make everything, everyone, and the experience extraordinary. USAI Lighting engineers are the trailblazers who innovated new possibilities and tools that were never before available – offering color temperatures ranging from **2200K** to **6000K**. These patented technologies provide design opportunities only limited by the imagination and include **Classic White®**, **Color Select® Tunable White**, **Warm Glow® Dimming**, and **Infinite Color+®**.

Guide to USAI® LED Color Choices

Color Temperature Matters. What's right for your project?


Financial Services Firm

Classic White®

TIER 0, TIER1, TIER 2, TIER 3

Experience
Color Consistency and Premium Performance

Client Requirements
Clients looking for beautiful consistent/static LED lights with exquisite dimming.

Color Temperature Options
2200K, 2400K, 2700K, 3000K, 3500K, 4000K


Cherry Hills Country Club

Warm Glow® Dimming, Dim-to-Warm & Dim-to-Warm +

TIER1, TIER 2, TIER 3

Experience
Standard to Patented — Traditional Warmth. See below options.

Client Requirements
Warmth fitting every client's budget. USAI's Warm Dimming offerings provide a tiered selection based on color quality, dimming options, performance, and price.

Dim-to-Warm

3000K Dims to 1800K

Provides standard LED warmth

90+ CRI

Good Color Consistency
3-Step MacAdam Ellipse

TIER1, TIER 2

Dim-to-Warm +

3000K Dims to 2000K

A more natural warm dimming option that is close to incandescent

90+ CRI

Good Color Consistency
3-Step MacAdam Ellipse

TIER1, TIER 2

Warm Glow® Dimming

3000K or 2700K Dims to 2200K

USAI's proprietary LED technology provides a perfect match to incandescent dimming

80+ and 90+ CRI

Best Color Consistency
2-Step MacAdam Ellipse

TIER 3

Only LED that Mimics an Incandescent



Private Residence

Color Select® Tunable White®

TIER 3

Experience
Daily Light Cycle Mimicking Outdoor Natural Light

Client Requirements
Clients interested in bringing the outdoor light cycle inside for wellbeing benefits and personalized environments.

Adjustable Color Temperature Options

1. Full Range: 6000K to 2200K

6000K — 2200K

2. Customizable Range: Specify a custom range by choosing a high and low desired CCT value. All are 90+ CRI. See detailed range options in spec sheets.

6000K — 2200K

Select Custom High End

Select Custom Low End

Intensities
100% to 0.1%



Las Vegas Sphere

Infinite Color+®

TIER 3

Experience
Full Spectrum WRGB with Personalized Whites, Saturated Hues, Soft Pastels and Everything In Between.

Client Requirements
Clients looking for the ultimate in dynamic lighting with the greatest flexibility – from bespoke experiences, to perfectly match layers of light from other fixtures.

Color Range
Signature White Light from 1600K to 12000K

SCAN to learn more about LED Color at USAI.



Project: Seminole Hard Rock Hotel and Casino
Lighting Designer: Focus Lighting
Architect: Rockwell Group
Photograph: Miami in Focus

PAGE 32
Project: Financial Services Firm
Lighting Design: One Lux Studios
Architect: HOK
Photograph: Ari Burling

Project: Cherry Hills Country Club
Architect: Mark Finlay Architects
Interior Design: Tom Hoch
Photograph: Brian Walters

PAGE 32
Project: Las Vegas Sphere
Experience and Interior Design: ICRAVE, a Journey Company
Lighting Designer: Journey Lighting
Architect: Populous
Photography: ICRAVE, a Journey company

Project: Private Residence
Interior Design: KA Design Group

A Solution for Every Budget

Features	Tier 0 Budget Friendly.	Tier 1 $ The Essentials.	Tier 2 $ $ Lots to Love.	Tier 3 $ $ $ The Ultimate.
		Everything in Tier 0 +	Everything in Tier 1 +	Everything in Tier 1 & 2 +
Performance	Up to **1000** Delivered Lumens	Up to **2300** Delivered Lumens	Up to **3125** Delivered Lumens	Up to **6900** Delivered Lumens
LED Color Choices	Classic White® 2400K, 2700K, 3000K, 3500K, 4000K 80+ and 90+ CRI	Dim-to-Warm Dim-to-Warm+		Classic White® 2200K Warm Glow® Dimming Color Select® Tunable White Infinite Color+®
Shapes	Square and Round Recessed Round Pendants and Surface Mounts		Square Pendants and Surface Mounts Multi-Head Recessed Fixtures Square Multi-Cell	Customized Shapes
Trims & Finishes	Trimmed, Trimless White, Black	Millwork	Pinhole, Deep Regress, Glow Glass, Cross Baffle, Powdercoat Painted and Anodized Finishes	Custom Colors Natatorium Corrosion Resistance
Housings	IC Rated and New Construction	Standard Housings Under 4.5" Height IC Housings	Shallow Housings Under 2" Height CP Housings	All Housing Options Including Sloped Ceilings Steam Rooms and Saunas
Functionality	**Recessed:** Downlight, Adjustable **Pendants/Surface Mounts:** Downlight	**Recessed:** Downlight, Adjustable, Wall Wash **Pendants/Surface Mounts:** Downlight	Pendants/Surface Mounts: Wall Wash	Pendants/Surface Mounts: Adjustable
Narrow Beams		20° Beams	6° + 10° Point Perfect Narrow Beams	
Dimming	0-10V and Phase Dimming Down to 1%		More Dimming Options	All Dimming Including DALI, DMX Down to .1%
Code Compliance	T24/JA8 Options Dry/Damp/Wet Locations	Declare Label Red List Approved	CP Chicago Plenum	Emergency Battery Options
Shipping	Standard Lead Times (2 - 4 weeks)			Made to Order (Varies)
Integrated Solutions			Trimless Acoustical Lighting BeveLED Mini® Basic PoE Options	Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 for 6" TechZone® USAI® for Turf Design
USAI Connect® LV+ Centralized Power System	USAI Zero™	the LittleOnes® Micro	the LittleOnes® Micro Doubles the LittleTwo® NXT the LittleTwos® Cylinder Small In One™ - Mini	the LittleTwo® NXT Multiples Small In One™ - Mini Multiples

USAI® Lighting

USAI LIGHTING HEADQUARTERS
1126 River Road, New Windsor, NY 12553
T: 845–565–8500
info@usailighting.com

©2026 USAI Lighting All Rights Reserved. Small In One and USAI Zero are trademarked. USAI Connect, and the LittleTwos USAI, BeveLED, BeveLED Mini, SliverLED, BeveLED Block, BeveLED Basic, Primary, Classic White, Warm Glow, Color Select and Infinite Color+ TrueZero360, and Pancake are registered trademarks of USAI, LLC. All designs protected by copyright Covered by US Patents. Patents pending. WoodWorks® and MetalWorksTM are trademarks of AWI Licensing LLC. CA-118H