


Spring
2025
Update

Product Tiers Guide

A Solution for Every Budget



All I Ever Wanted Is Everything

Engineering For What’s Next

USAI believes the specifier should have it all. As a solution-based lighting technology company built on a legacy of innovation, USAI’s engineering team designs for the next generation of thinking for lighting spaces, fixtures, and technologies.

Our comprehensive platform of traditional and innovative LED solutions focuses on achieving the perfect balance between color technology, optical design, and superior performance while providing flexibility to address the architectural design and budget challenges of any space across verticals in an ever-changing and dynamic world.

Specification Simplified

Product Tiers.

Committed to making the specification process easier, USAI has created a Product Pricing Tier System. This system helps designers understand the cost of fixtures and features from tier to tier.

Remote Driver Applications Assistance.

USAI Lighting offers a dedicated Remote Driver Applications Assistance service – where specifier's projects are evaluated for remote dimming driver and enclosure requirements.

Online Configurable Spec Sheets.

This feature allows specifiers to easily configure USAI products online and generate a spec sheet based on a project's product specification. Using an ordering table similar to USAI's existing static PDF spec sheets, and logic built into the system, chances of errors are significantly reduced during the specification process.

Providing:

- Customized Spec Sheets for Submittal
- Shorter Spec Sheets
- Option to Input Labels (project, specifier, fixture type, and notes)
- Smart Logic Only Offering Accurate Combinations

Layering Tiers within a Project

Tier 3 (\$ (\$ (\$

BeveLED® 2.2
Incline® for
Sloped Ceilings
4.5"

BeveLED Mini® Complete Classic White
3"

Tier 2 (\$ (\$

Project: Publicis Groupe "Le Truc Clubhouse"
Architect: Architect Plus Information
Lighting Designer: Lighting Workshop
Photograph: Magda Biernat

Which USAI Lighting Product is Right For Your Project?

USAI Lighting’s expansive product portfolio provides a solution for every project need and budget. Specify across tiers to meet budget requirements while maintaining a consistent roomside appearance.



SCAN for more details.

NOTE specific drivers and accessories chosen may cause pricing to exceed Tier's base line.

Size	Product Family
1"	the LittleOnes [®] recessed
1.25"	Micro Multi-Cell recessed
1.75"	SliverLED [®] recessed
2"	the LittleTwos [™] recessed
3"	BeveLED Mini [®] TrueZero360 [®] recessed
4.5"	BeveLED [®] 2.2 recessed
5"	BeveLED Block [®] pendants & surface
6"	BeveLED [®] 5.0 recessed
1.25" - 6"	Cylinders & Pendants
1.25" - 4.5"	Integrated Solutions recessed and surface mounts

TIER 1 \$ Budget Friendly.	TIER 2 \$ \$ Lots to Love.	TIER 3 \$ \$ \$ The Ultimate.
the LittleOnes [®] Micro	the LittleOnes [®] Zepto [®]	
	Micro Multi-Cell	
SliverLED [®] Primary [®] NXT		
	the LittleTwos [™] Pinhole	
BeveLED Mini [®] Primary [®] NXT BeveLED [®] Mini Primary [®] Retrofit	BeveLED Mini [®] Basic BeveLED Mini [®] Basic Pancake [®] BeveLED Mini [®] Complete • Classic White [®] TrueZero360 [®] • Classic White [®]	BeveLED Mini [®] Complete • Warm Glow [®] Dimming • Color Select [®] • Infinite Color+ [®] TrueZero360 [®] • Warm Glow [®] Dimming • Color Select [®] • Infinite Color+ [®]
BeveLED [®] 2.2 Primary [®] NXT	BeveLED [®] 2.2 Basic	BeveLED [®] 2.2 Complete BeveLED [®] 2.2 Glow BeveLED [®] 2.2 Doubles
		BeveLED Block [®]
		BeveLED [®] 5.0
Primary [®] NXT Cylinder	the LittleTwos [™] Cylinder BeveLED Mini [®] Cylinder	Micro Multi-Cell Pendant NanoLED [®] Cylinder BeveLED [®] 2.2 Cylinder
	PoE Lighting Trimless Acoustical Lighting BeveLED Mini [®] Basic	Trimless Acoustical Lighting Complete USAI [®] for WoodWorks [®] USAI [®] for MetalWorks [™] Connect for Intersection Downlighting Connect for 4" TechZone [®] BeveLED [®] 2.2 for 6" TechZone [®] USAI [®] for Turf Design

Tier 1

Budget Friendly.

Tier 1 products allow specifiers to achieve USAI's refined aesthetic for budget-conscious projects and spaces.

- Low Cost
- High CRI Options Available
- Quick Ship Options Available



SCAN FOR more **Tier 1** details on our website!



NOTE Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.

Recessed



the LittleOnes[®] Micro

FEATURES

1.25" Aperture

Up to **800**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

Retrofit, New Construction,
Insulation Contact
and Chicago Plenum
Housing Options

Multiple Fixture to
Driver Options

7W, 9W

25° – 50° Beam Options

- Classic White[®]
- Dim-to-Warm
- T24/JA8
- Declare Label Red List Approved



BeveLED Mini[®] Primary[®] NXT

FEATURES

3" Aperture

Up to **1400**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless

New Construction
and Insulation Contact
Housing Options

9W, 15W

25° – 50° Beam Options

- Classic White[®]
- Dim-to-Warm
- Dim-to-Warm
- T24/JA8
- Quick Ship Options



BeveLED[®] 2.2 Primary[®] NXT

FEATURES

4.5" Aperture

Up to **2350**
Delivered Lumens

Square + Round

- Adjustable
Downlight
- Wall Wash

Trimmed, Trimless, Millwork

New Construction
and Insulation Contact
Housing Options

9W, 15W, 20W, 29W

20° – 55° Beam Options

- Classic White[®]
- T24/JA8
- Quick Ship Options



Primary[®] NXT Cylinder

FEATURES

3.5" Aperture

Up to **1375**
Delivered Lumens

Round

- Downlight

Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 15W

35° – 65° Beam Options

- Classic White[®]
- Dim-to-Warm
- Dim-to-Warm
- Quick Ship Options



Recessed



SliverLED® Primary® NXT

FEATURES

1.75" Aperture

Up to **1400** Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed, Flush Mount

New Construction and Insulation
Contact Housing Options

9W, 15W

25° – 50° Beam Options



Classic White®



Dim-to-Warm



Dim-to-Warm +



T24/JA8

Tier 1 Features

PERFORMANCE

Over **2300** Delivered Lumens

LED COLOR CHOICES

- Classic White®
2400K, 2700K, 3000K,
3500K, 4000K
80+ and 90+ CRI

- Dim-to-Warm
- Dim-to-Warm +

SHAPES

Round and Square Recessed
Round Pendants and Surface Mounts

TRIMS & FINISHES

Trimmed, Trimless, Millwork
Standard USAI Finishes

HOUSINGS

New Construction and IC Housings
Install-from-Below - the LittleOnes®
Micro

FUNCTIONALITY

Recessed: Downlight, Adjustable,
Wall Wash

Surface Mounts and Pendants: Downlight

DIMMING

0-10V and Phase Dimming Down to 1%
Tri Mode Drivers

CODE COMPLIANCE

- T24/JA8 Options
- Dry/Damp/Wet Locations
- Declare Label Red List Approved



Quick Ship within 10 Days
for Select Products



Project: David Zwirner Office Headquarters
Architect: Selldorf Architects
Lighting Designer: Map Design Studio
Photograph: Colby Edwards

Tier 2

Lots to Love. Easy on Budget.

Tier 2 offers the best of both worlds: a range of beam spreads, trim styles, and dimming options to satisfy a broad selection of design needs, yet economically priced to satisfy competitive project requirements.



Narrow Beams

More Housings

More Light Output

More Fixture Families

More Driver Options



NOTE Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.



SCAN FOR
more **Tier 2** details
on our website!

Tier 2 Lots to Love

Recessed



the LittleOnes[®] Zepto[®]

FEATURES

1" Aperture

Up to **1100**
Delivered Lumens

Round



Downlight



Wall Wash

Trimmed, Trimless, Millwork

New Construction,
Insulation Contact

Multiple Fixture to
Driver Options

7W, 9W, 11W, 15W

30° – 45° Beam Options



Classic White[®]



T24/JA8



Declare Label Red
List Approved



the LittleTwos[™] Pinhole

FEATURES

2" Aperture

Up to **1950**
Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed, Trimless, Millwork

Retrofit, New Construction,
Insulation Contact
and Chicago Plenum
Housing Options

Multiple Fixture to
Driver Options

7W, 9W, 11W, 15W, 20W

10° – 65° Beam Options



Classic White[®]



Dim-to-Warm



Dim-to-Warm +



Color Select[®]
Tunable White



T24/JA8



Declare Label Red
List Approved



BeveLED Mini[®] Basic Pancake[®]

All-In-One Adjustable

FEATURES

3" Aperture

Up to **1400**
Delivered Lumens

Square + Round



Adjustable Downlight



Wall Wash

Trimmed, Trimless, Millwork

SuperFlat Adjustable,
SuperFlat Insulation Contact
Rated Housing Options

Multiple Fixture to
Driver Options

9W, 15W

10° – 50° TIR Optics
Beam Options



Classic White[®]



Dim-to-Warm +



T24/JA8

Pendant & Surface Mounts



the LittleTwos[™] Cylinder

FEATURES

2" Aperture

Up to **1050**
Delivered Lumens

Round



Downlight



Wall Wash



Adjustable

Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

7W, 9W, 11W, 15W

15° – 70° Beam Options



Classic White[®]



Dim-to-Warm



Dim-to-Warm +



T24/JA8



Declare Label Red
List Approved

Recessed

Pendant & Surface Mounts

Integrated Solutions



the LittleOnes®
Micro Doubles

FEATURES

1.25" Aperture x2

Up to **1600**
Delivered Lumens

Square + Round

- Downlight - Double or Combo with Wall Wash
- Wall Wash - Double or Combo with Downlight
- Adjustable Double

Trimmed, Trimless

Integral and Remote Driver Housing Option for New Construction

14W-18W

25° – 50° Beam Options

- Classic White®
- Dim-to-Warm +
- Declare Label Red List Approved



Micro Multi-Cell
2-cell, 4-cell, 6-cell, 8-cell, 12-cell

FEATURES

1.25" Aperture

Up to **3125**
Delivered Lumens

Rectilinear

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

Remote Driver, Integral Driver Housing Options

8W, 13W, 21W, 27W, 41W

30° – 50° Beam Options

- Classic White®



BeveLED Mini®
Basic

FEATURES

3" Aperture

Up to **1225**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 15W

20° – 50° Beam Options

- Classic White®
- Dim-to-Warm
- Dim-to-Warm +
- T24/JA8



BeveLED Mini®
Complete

FEATURES

3" Aperture

Up to **2200**
Delivered Lumens

Square + Round

- Downlight

Trimmed, Trimless, Millwork

Flat, Insulation Contact Housing Options

9W, 11W, 14W, 15W, 17W, 20W

6° – 65° Beam Options

- Classic White®
- T24/JA8
- Declare Label Red List Approved



TrueZero³⁶⁰®

FEATURES

3" Aperture

Up to **2550**
Delivered Lumens

Square + Round

- Downlight

Trimmed, Trimless, Millwork

Flat, Insulation Contact Housing Options

9W, 15W, 20W

25° – 60° Beam Options

- Classic White®
- T24/JA8



BeveLED® 2.2
Basic

FEATURES

4.5" Aperture

Up to **2250**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable


Trimmed, Trimless, Millwork

New Construction Narrow Width, New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 16W, 24W

25° – 90° Beam Options

- Classic White®



BeveLED Mini®
Cylinder

FEATURES

3.5" Aperture

Up to **2025**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 15W, 20W

15° – 65° Beam Options

- Classic White®
- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®

Armstrong® Ceiling
Solutions



Trimless Acoustical Lighting
BeveLED Mini® Basic

- Classic White®

PoE Products



Various

- Classic White®
- Declare Label Red List Approved

Tier 2 Features

Everything in Tier 1 +

PERFORMANCE

Up to **2550** Delivered Lumens

SHAPES

Square Pendants and Surface Mounts

TRIMS & FINISHES

Deep Regress, Cross Baffle
Anodized Finishes

HOUSINGS

Shallow Housings Under 2"

NARROW BEAMS

6° + 10° Point Perfect Beams

FUNCTIONALITY

Wall Wash Pendants and
Surface Mounts

DIMMING

More Dimming Options

CODE COMPLIANCE

CP Chicago Plenum

INTEGRATED SOLUTIONS

Trimless Acoustical Lighting Basic
PoE Options



Tier 3

The Ultimate Options.

Powerful and versatile, our most comprehensive offering provides maximum flexibility with a full assortment of product features including our extensive range of housing options to fit nearly every plenum and ceiling type imaginable, extensive range of wattage and color options, numerous trim styles and a wide range of beam angles and lenses.

+ All I Ever Wanted Is Everything

All Led Color Choices

All Housing Options

Latest Innovative Trends and Styles



SCAN FOR
more **Tier 3** details
on our website!

Recessed




BeveLED Mini[®] Complete

FEATURES

3" Aperture

Up to **2200**
Delivered Lumens

Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork


Flat, Flat Adjustable,
New Construction,
Insulation Contact, Chicago
Plenum Housing Options

9W, 11W, 14W, 15W,
17W, 20W

6° – 65° Beam Options




Classic White[®]




Warm Glow[®]
Dimming




Color Select[®]
Tunable White



Infinite Color+[®]



T24/JA8



Declare Label Red
List Approved



TrueZero³⁶⁰[®]

FEATURES

3" Aperture

Up to **2550**
Delivered Lumens

Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork


Flat, Flat Adjustable, New
Construction, Insulation
Contact, Chicago Plenum
Housing Options

9W, 12W, 15W, 18W,
20W, 29W


25° – 60° Beam Options




Classic White[®]



Warm Glow[®]
Dimming




Color Select[®]
Tunable White



Infinite Color+[®]



T24/JA8



Declare Label Red
List Approved



BeveLED[®] 2.2 Complete

FEATURES

4.5" Aperture

Up to **3450**
Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork


Flat, Flat Adjustable, New
Construction, Narrow Width,
Insulation Contact, Chicago
Plenum Housing Options

9W, 12W, 16W, 24W, 32W,
33W, 36W

10° – 90° Beam Options




Classic White[®]



Warm Glow[®]
Dimming




Color Select[®]
Tunable White



Infinite Color+[®]



T24/JA8



Declare Label Red
List Approved

Pendants & Surface Mounts




BeveLED Mini[®] Adjustable Cylinder

FEATURES

3.5" Aperture

Up to **1950**
Delivered Lumens

Round




Adjustable

Surface Mounted
with Integral and Remote
Driver Options

9W, 12W, 15W, 18W, 20W


15° – 65° Beam Options




Classic White[®]



Warm Glow[®]
Dimming



Color Select[®]
Tunable White



Infinite Color+[®]

Recessed

Pendants & Surface Mounts



BeveLED® 2.2
Doubles

FEATURES

4.5" Aperture x2

Up to **5500**
Delivered Lumens

Square + Round




Trimmed, Trimless

New Construction Double
Head Housing

9W, 12W, 16W, 24W, 33W

10° – 85° Beam Options



BeveLED® 5.0

FEATURES


6" Aperture

Up to **7725**
Delivered Lumens

Square + Round



Wall Wash




Trimmed, Trimless, Millwork

New Construction Housing

40W, 60W, 80W

10° – 90° Beam Options



Micro Pendant
2-cell, 4-cell, 6-cell,
8-cell, 12-cell

FEATURES

1.25" Aperture

Multiple Fixture to
Driver Options

Up to **3125**
Delivered Lumens


Rectilinear



Pendant Stem and
Conduit Cutout Options

8W, 13W, 21W, 27W, 41W

35° – 50° Beam Options



NanoLED®
Cylinder

FEATURES

3" Aperture

Up to **1750**
Delivered Lumens



Round



Cable, Pendant Stem,
Surface-Mounted Junction
Boxes and Conduit,
Surface Mounted Options

9W, 15W, 20W

25° – 45° Beam Options



BeveLED Block®

FEATURES

5" Aperture

Up to **2050**
Delivered Lumens

Square + Round



Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 12W, 16W, 24W

25° – 90° Beam Options



BeveLED® 2.2
Cylinder

FEATURES

6" Aperture

Up to **3450**
Delivered Lumens




Round



Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 12W, 16W, 24W, 32W,
33W, 36W

25° – 90° Beam Options



BeveLED® 2.2 Complete
4.5"

BeveLED® Mini®
Complete 3"


Project: David Yurman
Lighting Designer: Dot Dash
Architect: Gabellini Sheppard Associates
Photograph: Paul Warchol Photography



Micro-Multi-Cell 1.25" for WoodWorks

Project: Orlando College of Osteopathic Medicine
Architect: Baker Barrios
Photographer: Courtesy of Armstrong World Industries

Solutions for Unique Design Challenges



BeveLED Mini® + BeveLED® 2.2 Incline® for Sloped Ceilings

FEATURES

3", 4.5" Aperture

Up to 1900 Delivered Lumens - 3"

Up to 2975 Delivered Lumens - 4.5"

Square + Round



Trimmed, Trimless, Millwork

New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 15W, 16W, 18W, 20W, 24W, 32W, 33W, 36W

25° – 70° Beam Options

- Classic White®
- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®
- T24/JA8



BeveLED® 2.2 Glow

FEATURES

4.5" Aperture

Up to 2425 Delivered Lumens

Square + Round



Trimmed, Trimless, Millwork

Flat, New Construction, Narrow Width, Insulation Contact, and Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W

Narrow, Medium Beam Options

- Classic White®
- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®
- Declare Label Red List Approved

Integrated Solutions

Armstrong® Ceiling Solutions



Trimless Acoustical Complete BeveLED Mini® BeveLED® 2.2



USAI® for WoodWorks® Micro, BeveLED Mini®, BeveLED® 2.2



USAI® for MetalWorks™ BeveLED Mini®, BeveLED® 2.2



Connect for 4" TechZone® BeveLED Mini® BeveLED 2.2 Complete for 6" TechZone®



Connect for Intersection Downlighting BeveLED Mini®



Turf Design



USAI for Turf® Port and Urban Acoustical Tiles BeveLED Mini®, BeveLED® 2.2



PoE Products



Various



Tier 3 Features

Everything in Tier 1 & 2 +

PERFORMANCE

Up to **7725** Delivered Lumens

LED COLOR CHOICES

- Warm Glow Dimming®
- Color Select® Tunable White
- Infinite Color+®

TRIMS & FINISHES

- Glow Glass Trims
- Custom Colors
- Natatorium Corrosion Resistance

HOUSINGS

- All Housing Options Including Sloped Ceilings

FUNCTIONALITY

- Adjustable Pendants and Surface Mounts

DIMMING

- All Dimming Including DALI, DMX Down to .1%

CODE COMPLIANCE

- Emergency Battery Options

INTEGRATED SOLUTIONS

- Trimless Acoustical Lighting Complete
- More USAI® for WoodWorks®
- More USAI® for MetalWorks™
- Connect for Intersection Downlighting
- Connect for 4" TechZone®
- BeveLED® 2.2 for 6" TechZone®
- USAI for Turf Design

Tier 3 (\$ (\$ (\$ The Ultimate

BeveLED® 5.0
Infinite Color+®
6"

BeveLED Mini®
Infinite Color+® 3"

Project: Las Vegas Sphere
Experience and Interior Design: ICRAVE, a Journey studio
Lighting Design: Journey Lighting
Architect: Populous
Photography: ICRAVE, a Journey studio

This Project also includes
USAI Lighting Products:
BeveLED Mini® Complete Infinite Color+ 3"
BeveLED Mini® Complete 3"
BeveLED 2.2 Complete 4.5"

Consider The Color of Light As An Essential Design Element

Light is equally as precious as the finishes and materials in a room. Every space, object, or task has an ideal shade of light to be lit by. Choosing the right light can make everything, everyone, and the experience extraordinary. USAI Lighting engineers are the trailblazers who innovated new possibilities and tools that were never before available – offering color temperatures ranging from 2200K to 6000K. These patented technologies provide design opportunities only limited by the imagination and include **Classic White®**, **Color Select®**, **Warm Glow® Dimming**, and **Infinite Color+®**.

Guide to USAI LED Color Choices

Color Temperature Matters. What’s right for your project?



Classic White® Tier 1 2 3

EXPERIENCE Color Consistency and Premium Performance
CLIENT REQUIREMENTS Clients looking for beautiful consistent/static LED lights with exquisite dimming.
COLOR TEMPERATURE OPTIONS
2400K, 2700K, 3000K, 3500K, 4000K



Warm Glow® Dimming Tier 3

EXPERIENCE Uncompromised, Patented, Traditional Warmth in an LED
CLIENT REQUIREMENTS Clients who love their traditional light sources (halogens and incandescent) and want the same warmth and dimming experience with their LED.

Dim-to-Warm & Dim-to-Warm + Tier 1 2

EXPERIENCE Warmth in an LED
CLIENT REQUIREMENTS Clients requiring warm dimming options for budget-friendly and competitive projects.



Color Select® Tunable White® Tier 3

EXPERIENCE Daily Light Cycle Mimicking Outdoor Natural Light
CLIENT REQUIREMENTS Clients interested in bringing the outdoor light cycle inside for wellbeing benefits and personalized environments.
ADJUSTABLE COLOR TEMPERATURE 6000K to 2200K
INTENSITIES 100% to 0.1%



Infinite Color+® Tier 3

EXPERIENCE Full Spectrum WRGB with Personalized Whites, Saturated Hues, Soft Pastels and Everything In Between.
CLIENT REQUIREMENTS Clients looking for the ultimate in dynamic lighting with the greatest flexibility – from bespoke experiences, to perfectly match layers of light from other fixtures.
COLOR RANGE
Signature White Light from 1600K to 12000K



Warm Dimming Tiers

Warmth for Every Budget

USAI’s Warm Dimming offerings provide a tiered selection based on color quality, dimming options, performance, and price.

Created to meet the needs for every project and budget, specifiers now have two **Dim-to-Warm** options in addition to USAI’s proprietary **Warm Glow® Dimming**. Warm Glow Dimming remains the industry’s best LED option to match incandescent dimming. When on a budget, use **Dim-to-Warm** to achieve dimmed warmth without reaching candlelit levels.

Dim-to-Warm



3000K Dims to 1800K

Provides standard LED warmth

90+ CRI

Good Color Consistency
3-Step MacAdam Ellipse

Tier 1 \$

Tier 2 \$ \$

Dim-to-Warm +



3000K Dims to 2000K

A more natural warm dimming option that is close to incandescent

90+ CRI

Good Color Consistency
3-Step MacAdam Ellipse

Tier 1 \$

Tier 2 \$ \$

Only LED that Mimics an Incandescent

Warm Glow® Dimming



3000K or 2700K Dims to 2200K

USAI’s proprietary LED technology provides a perfect match to incandescent dimming

80+ and 90+ CRI

Best Color Consistency
2-Step MacAdam Ellipse

Tier 3 \$ \$ \$ \$



SCAN to learn more about LED Color at USAI.

CREDITS CLOCKWISE ON LEFT


















Project: GM Building
Lighting Designer: One Lux Studio
Architect: Fogarty Fingers Architecture
Photograph: Caprice Johnson

Project: Cherry Hills Country Club
Architect: Mark Finlay Architects
Interior Design: Tom Hoch
Photograph: Brian Walters

Project: Las Vegas Sphere
Experience and Interior Design: ICRAVE, a Journey Company
Lighting Designer: Journey Lighting
Architect: Populous
Photography: ICRAVE, a Journey company

Project: Private Residence
Interior Design: KA Design Group

A Solution for Every Budget

	Tier 1  Budget Friendly.	Tier 2   Lots to Love.	Tier 3    The Ultimate.
Features		Everything in Tier 1 +	Everything in Tier 1 & 2 +
Performance	Up to 2300 Delivered Lumens	Up to 3125 Delivered Lumens	Up to 6900 Delivered Lumens
LED Color Choices	 Classic White® 2400K, 2700K, 3000K, 3500K, 4000K 80+ and 90+ CRI  Dim-to-Warm  Dim-to-Warm+	+	 Warm Glow® Dimming  Color Select® Tunable White  Infinite Color+®
Shapes	Round and Square Recessed Round Pendants and Surface Mounts	+	Square Pendants and Surface Mounts Multi-Head Recessed Fixtures Square Multi-Cell
Trims & Finishes	Trimmed, Trimless, Millwork White and Black	+	Deep Regress, Cross Baffle Powdercoat Painted and Anodized Finishes
			Glow Glass Trims Custom Colors Natatorium Corrosion Resistance
Housings	Standard Housings Under 4.5" Height IC Housings	+	Shallow Housings Under 2" Height CP Housings
			All Housing Options Including Sloped Ceilings Steam Rooms and Saunas
Functionality	Recessed: Downlight, Adjustable, Wall Wash Pendants/Surface Mounts: Downlight	+	Pendants/Surface Mounts: Wall Wash
			Pendants/Surface Mounts: Adjustable
Narrow Beams		+	6° + 10° Point Perfect Narrow Beams
Dimming	0-10V and Phase Dimming Down to 1%	+	More Dimming Options
			All Dimming Including DALI, DMX Down to .1%
Code Compliance	 T24/JA8 Options  Declare Label Red List Approved  Dry/Damp/Wet Locations	+	 Chicago Plenum
			Emergency Battery Options
Shipping	 Quick Ship Within 10 Days Available for Select Products	Standard Lead Times (2 - 4 weeks)	Made to Order (Varies)
Integrated Solutions		Trimless Acoustical Lighting BeveLED Mini® Basic PoE Options	+ Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 for 6" TechZone® USAI® for Turf Design