



INTRODUCING

the LittleOnes[®] Micro Doubles



1.25"


The 1.25" Aperture
Power Couple





Hello, Power Couple!

The LittleOnes Family just expanded with a new dynamic duo. Meet the **LittleOnes Micro Doubles**. A new collection of tiny 1.25-inch aperture Power Couples that deliver up to 1600 lumens while offering the family's signature glare control technology and minimal design.



MICRO DOUBLES COMBINATIONS

Experience twice the performance with the **LittleOnes Micro Doubles** featuring Double Downlight, Double Adjustable, Double Wall Wash or even a combination of Downlight and Wall Wash. Available in trimmed and trimless, round and square, with black and white finishes, there's an option for nearly every design intent. Choose combination finishes of black bevels with white flanges for visually quiet ceiling integrations.

Looking for application tips? →



SNAP FOR
APPLICATION GUIDE

| | Trimless White | Trimless Black | Trimmed White Bevel | Trimmed Black Bevel |
|-------------------------------------|----------------|----------------|---------------------|---------------------|
| Double Downlight Round | | | | |
| Double Downlight Square | | | | |
| Double Adjustable Round | | | | |
| Double Adjustable Square | | | | |
| Double Wallwash Round | | | | |
| Double Wallwash Square | | | | |
| One Downlight & One Wallwash Round | | | | |
| One Downlight & One Wallwash Square | | | | |

NOTE: Spacing varies with trim styles.

the LittleOnes[®] Micro Doubles

FULL FAMILY HIGH PERFORMANCE FEATURES AND SPECIFICATIONS

TIER 3

The Ultimate \$ \$ \$

THE POWER

Up to **1600** Delivered Lumens (800 lms per head)

LITTLE

1.25" Aperture

SHAPE

Round and Square

CONSISTENT AESTHETIC

Perfect Match to the LittleOnes Micro and Micro Multi-Cell

TRIM OPTIONS

Trimmed, Trimless

HOUSING

Integral and Remote Driver Housing Option For New Construction

WATTAGE

14W-18W

BEAM SPREADS

25°, 35° and 50° + Wall Wash

LENSES AND ACCESSORIES

Linear Spread Lens, Color Shifting (CTO) Filters, Hexcell Louver



Classic White[®] 2700K, 3000K, 3500K, 4000K, 80+ and 90+ CRI



Dim-to-Warm + 3000K - 2000K, 90+ CRI

DRIVER CHOICES

Choose efficiency with one remote driver per fixture, independent switching and dimming with one driver per head, or integral driver options

FINISH OPTIONS



Matte
White



Matte
Black



Specular
Black



LBC Red List
Approved



IBEW Union
Made



Meets WELL
Building Standards



0.1% Dimming
Options



Dry, Damp,
Wet Locations



5 Year
Warranty



NRTL/CSA-US
Listed



CALL, EMAIL, OR VISIT USAILIGHTING.COM TO LEARN MORE

USAI LIGHTING COLLABORATORY

13 CROSBY STREET
NEW YORK, NY 10013
(845) 234-4090
SHOWROOM@USAILIGHTING.COM

USAI LIGHTING HEADQUARTERS

1126 RIVER ROAD
NEW WINDSOR, NY 12553
(845) 565-8500
INFO@USAILIGHTING.COM

© 2025 USAI Lighting.
All rights reserved. USAI, the LittleOnes,
and Classic White are registered
trademarks of USAI, LLC. All designs
protected by Copyright.
Patents pending. CA- 151 -E Digital