

USAI[®] Lighting

the LittleTwos[™]

Small, Powerful, and Quiet Runs in the Family

2" aperture downlights and 2" diameter cylinders





PICTURED ABOVE the LittleTwos:
2" Cylinder Downlight Cable Mount - Conduit Silver
2" Recessed NXT Downlight Trimless - Black

the LittleTwos™

Introducing the LittleTwos™. Small and powerful runs in this family of 2" aperture recessed downlights and 2" diameter cylinders that offer up to 1875 delivered lumens with advanced glare control.

This **TIER 2** family is complete with high performance and an expansive range of options for trim styles, trim configurations, beam spreads, housings, drivers, and more – offering the flexibility your projects require.

Make the LittleTwos your new “Go TWO Product.”



SNAP to Access
the LittleTwos™ NXT
Downlight



SNAP to Access
the LittleTwos™ Cylinder

the LittleTwos™ NXT

Small, Powerful, Comfortable and Flexible.

FEATURES

TIER 2



APERTURE & SHAPE



Round and Square

THE POWER

Up to 1875
Delivered Lumens

TRIMS

Trimmed, Trimless, Millwork

FUNCTIONS

Downlight
Adjustable
Wall Wash

BEAM SPREADS

10°, 15°, 20°, 25°, 30°,
35°, 40°, 45°, 50°, 55°,
65°, 75° + WW

LED COLOR OPTIONS



Classic White®



Dim-to-Warm



Dim-to-Warm +



Color Select®

HOUSING

Install from Below:

- Trim Installed from Below with Flex Driver Case (RT)

New Construction Installations:

- New Construction Tray (NCT)
- Insulation Contact Rated Housing (NCIC)
- Chicago Plenum Housings (NCCP)
- New Construction Above Ceiling Access Housing (ABC)

FINISH OPTIONS



White Matte



Black Matte



Conduit Silver



Grey



Bronze



Primer



Antimicrobial White



Clear Matte Anodized



Piano Gloss Black



Custom RAL#

LISTINGS



IBEW Union
Made



Meets WELL
Building Standards



0.1% Dimming
Options



Dry, Damp, Wet
Locations



5 Year
Warranty



CSA-US Listed

Trim Options

Choose from a variety of trim options and combinations. The LittleTwos NXT Recessed Downlights are available in trimmed, trimless, and millwork, round or square, downlight, deep regress, adjustable, and wall wash. A selection of finishes are available along with options perfect for visually quiet ceiling integrations. View options on page 13.



Downlight,
Standard Regress



Adjustable Downlight



Downlight, Deep Regress



Wall Wash



Housings for Every Application


The LittleTwos NXT offers new construction and install from below housing options for easy installation in any site condition. Always serviceable from below, select from options to install from above or below the ceiling.

INSTALL FROM BELOW




Retrofit (RT)


INSTALL FROM ABOVE



New Construction Tray (NCT)



New Construction Above Ceiling
Access Housing (ABC)



Insulation Contact and Chicago
Plenum Housings (NCIC, NCCP)



PICTURED ABOVE the LittleTwos:
2" Cylinder Downlight Cable Mount - White
2" Recessed NXT Downlight Trimmed - White

Flex Your Power with the LittleTwos™ NXT

Light spaces with ceilings from 8’ to 20’ in height while remaining fully serviceable AND installable from below the ceiling plane. USAI's Integral Driver with Flex Case allows the LittleTwos 2" downlights to install from below with both trimmed and trimless fixtures.

Install from Below in 3 Easy Steps



1.

Insert Flex Driver Case from Below Ceiling Plane
2.

Flex Driver Case Automatically Drops to 90° Angle and Reduces Plenum Height Requirements
3.

Finished Installation from Below with Integral Driver

| the LittleTwos NXT Performance Data | Classic White® 2400K, 3000K, 3500K, 4000K 80+ and 90+ CRI | | | | | Dim-to-Warm 3000K-1800K, 90+ CRI Dim-to-Warm+ 3000K-2000K, 90+ CRI | Color Select® Tunable White 6000K to 2200K 90+ CRI |
|-------------------------------------|---|------|------|------|------|---|---|
| | 7W | 9W | 11W | 15W | 20W | 15W | 15W |
| Wattage | 7W | 9W | 11W | 15W | 20W | 15W | 15W |
| Source Lumens | 800 | 1200 | 1125 | 1875 | 2600 | 1100 | 1000 |
| Maximum Delivered Lumens | 625 | 925 | 875 | 1400 | 1875 | 825 | 850 |

+ Plus Flexibility with an Adjustable Fixture

0° Side View

40° Side View

2"

Adjust hot aiming with angle indicators located behind lens using hex screw driver. (Refer to spec sheet to order)

The adjustable 2" NXT provides additional flexibility to light spaces with a 362° rotation and a maximum 40° tilt angle while maintaining a quiet below the ceiling appearance.

the LittleTwos™ Cylinders

Come for the power. Stay for the comfort.

FEATURES

TIER 2



APERTURE & SHAPE



Round

THE POWER

Delivers Over 1000 Lumens

FUNCTIONS

- Downlight
- Wall Wash
- Adjustable
- Glow Glass

BEAM SPREADS

15°, 20°, 25°, 35°, 40°,
45°, 50°, 55°, 65°, 70°

LED COLOR OPTIONS

- Classic White®
- Dim-to-Warm
- Dim-to-Warm +

MOUNTING OPTIONS

- Surface Mount
- Cable Mount
- Pendant Stem
- 2", 5" and Conduit
Cutout Canopies

DRIVER LOCATIONS

- Recessed Rough-In
Enclosure
- Canopy Mounted
Driver
- Remote Driver

FINISH OPTIONS

- White
- Conduit Silver
- Grey
- Black
- Bronze
- Clear Matte
- Piano Gloss Black
- Custom RAL#

LISTINGS

- IBEW Union
Made
- Meets WELL
Building Standards
- 0.1% Dimming
Options
- Dry, Damp, Wet
Locations
- 5 Year
Warranty
- UL Listed

Actual Size



2', 4', 6' and
8' suspension
lengths are
field cuttable

Cable Mount

4"

2"



PICTURED ABOVE the LittleTwos:
2" Cylinder Downlight Cable Mount
2" Recessed NXT Downlight Trimmed

| CYLINDER PERFORMANCE DATA | Classic White® 2700K, 3000K, 3500K, 4000K 80+ and 90+ CRI | | | | Dim-to-Warm 3000K-1800K, 90+ CRI Dim-to-Warm + 3000K-2000K, 90+ CRI | |
|---------------------------------|---|-----|------|------|--|--|
| | 7W | 9W | 11W | 15W | 15W | |
| Source Lumens | 800 | 875 | 1125 | 1275 | 1100 | |
| Maximum Delivered Lumens | 550 | 700 | 800 | 1050 | 600 | |

3 ways to stash your drivers



PICTURED ABOVE the LittleTwos:
2" Cylinder Downlight Cable Mount - White
2" Recessed NXT Downlight Trimless - White

1 Recessed Rough-In Driver Enclosure

USAI offers recessed rough-ins which allows drivers to be placed in the ceiling at the light fixture location. Recessed rough-ins act as enclosures for drivers which can be accessed and serviced through the rough-in aperture behind the cylinder canopy.



Downlight,
Cable Mount



Downlight,
Surface Mount



Wall Wash
Surface Mount



Adjustable
Monopoint

2 Canopy Mounted Drivers

Two canopy mounted driver options are available – one is for use with recessed junction boxes, and the other is for use with surface conduit and surface junction boxes. All canopy mounted drivers are located within the oversized canopy that are also serviceable from below the ceiling.



3 Drivers & Enclosures

Connect up to four light fixtures at a time to one dimming driver for efficient power distribution and cost savings, or dedicate one fixture per driver to provide optimal performance and the best possible delivered light output. USAI makes your specification process easier by offering different driver enclosures to fulfill all of your project needs, from single driver (seen below) to multi driver pre-wired enclosures. Contact your local USAI representative for more configuration details and applications support.



Better TWO Layer

PICTURED ABOVE the LittleTwos:
2" Cylinder Downlight Cable Mount - Bronze
2" Recessed NXT Downlight Trimless - White

Layer in your specifications with the **LittleTwos™ TWOgether** to cover your lighting design needs. The 2" family's extraordinary range of options and power with comfort in recessed downlight and cylinder fixtures will enable specifiers to create the right ambiance while addressing project conditions and requirements. Let your creativity take the lead.

Refer to **page 13** and **14** to view the 2" Family's assortment of trims and configurations.

Refer to the **LittleTwos™ Application Guide** for inspiration and guidance with using the fixtures in various environments: Lobbies, Open Offices, Homes, Restaurants, Retail, and more.



SNAP
to check out the
LittleTwos™
Application Guide

Everything You Ever Wanted In a 2"


Trims Two Love with the LittleTwos™ NXT
Choose from a variety of functions and trim options.

| | Trimmed | Trimless | Millwork |
|--------------------------|---|--|---|
| Round Downlight |  |  |  |
| Square Downlight |  |  |  |
| Round Comfort Downlight |  |  |  |
| Square Comfort Downlight |  |  |  |
| Round Adjustable |  |  |  |
| Square Adjustable |  |  |  |
| Round Wall Wash |  |  |  |
| Square Wall Wash |  |  |  |

Cylinder Configurations

with the LittleTwos™ Cylinders

the LittleTwos Cylinders are available in an expansive assortment of configurations to provide options for nearly every design requirement. Select from a variety of functions and mounting options.

| | | | | | |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
| Surface Deep Regress Downlight | Cable Deep Regress Downlight | Stem Deep Regress Downlight | Surface Downlight | Cable Downlight | Stem Downlight |
|  |  |  |  |  |  |
| Surface Adjustable | Glow Glass Surface Adjustable | Glow Glass Cable Downlight | Stem Adjustable | Surface Wall Wash | Stem Wall Wash |


Mounting Options

Choose the best option for your ceiling installation.

| | | | | |
|--|---|---|---|--|
|  |  |  |  |  |
| 2" Canopy Remote Driver <ul style="list-style-type: none"> • High Output • Standard Output | 5" Canopy Recessed Driver <ul style="list-style-type: none"> • High Output | Conduit Cutout Canopy Remote Driver <ul style="list-style-type: none"> • High Output • Standard Ouput | Driver Canopy <ul style="list-style-type: none"> • High Output | Conduit Cutout Driver Canopy <ul style="list-style-type: none"> • High Output |

Better **TWO**gether

USAI Lighting offers a robust platform of recessed and cylinder downlights in a variety of sizes to address the needs for every space. Select the ones that best suit your performance requirements while providing a consistent below-the-ceiling appearance.



Want More LittleTwos?

Check out the
Application Guide



CALL, EMAIL, OR VISIT [USAILIGHTING.COM](https://usailighting.com) TO LEARN MORE

USAI LIGHTING COLLABORATORY

13 CROSBY STREET
NEW YORK, NY 10013
(845) 234-4090
SHOWROOM@USAILIGHTING.COM

USAI LIGHTING HEADQUARTERS

1126 RIVER ROAD
NEW WINDSOR, NY 12553
(845) 565-8500
INFO@USAILIGHTING.COM

©2025 USAI, LLC. All rights reserved.
the LittleTwos is trademarked and USAI, Classic White and Color Select are registered trademarks of USAI LLC. All designs protected by copyright.
Covered by US Patents. Patents pending.
CA-168C Digital.