



## INTRODUCING the LittleOnes™



# Hello, Tiny!



Who says **TINY** comes at the expense of performance? USAI Lighting is defying the norm and what is possible as we raise the bar in design and engineering with a new one-inch recessed fixture family that will knock your socks off.

Actual Size



### **Meet** the LittleOnes

# **Two to**



LittleOnes Micro is the USAI BeveLED family's newest tiny member.

Unique for its outstanding flexibility with a full family offering, this 1.25" dynamo provides the ultimate versatility possible in an LED fixture this small.

It's installable AND serviceable from below, and its square or round shapes can work with most typical ceiling types, including retrofit applications. Have you ever met a tiny ONE like this?

### the LittleOnes™ Micro





Defying what we thought possible and exceeding expectations. Don't be fooled by its 1" size and lens aperture of 3/4"!

Yes, this guy is TINY. Like its metric system namesake, it's teeny tiny and **POWERFUL**. This little guy packs a stealth punch with over 1000 delivered lumens and literally off-the-charts glare control. Zepto provides unparalleled performance with an ultra discreet trim aesthetic.

### the LittleOnes™ **Zepto™**

3 | usailighting.com



### 3/4" lens aperture



Actual Size

# The Power of Tiny

The best light sources reveal spaces, not themselves. USAI LittleOne's full lighting platform reaches new heights with a 1" aperture that's so little, it feels invisible, yet beams brilliance and creativity with high-performance.



Wall Wash







#### THE POWER - Up to 850 Delivered Lumens LITTLE - 1.25" Aperture SHAPE - Round and Square BEVELED BEAUTY - Beveled Profile Trim Option to Match USAI's Iconic and Extensive BeveLED Family TRIM OPTIONS - Trimmed, Trimless, Millwork EASE - Install from Below Options, Always Serviceable from Below HOUSING - New Construction, IC-rated, CP Rated, and Retrofit Housing Options WATTAGE - 7W & 9W OUTSTANDING GLARE CONTROL - UGR Less than One. Not Measurable. **BEAM SPREADS** - Narrow to Wide Classic White<sup>TM</sup> 2700K | 3000K | 3500K | 4000K **FINISH OPTIONS** Matte Matte Specula White Black Black

the LittleOnes MICRO 1.25"





Dry, Damp,Wet Locations



Meets WELL Building Standards



....Everything You Need to Light A Space





1⁄4"





**FINISH OPTIONS** 

Matte White





#### the LittleOnes **ZEPTO 1**"

THE POWER - Up to 1050 Delivered Lumens

LITTLE - 1" Aperture

**DISCREET BEAUTY** - Minimal Appearance

**TRIM OPTIONS** - Microflange and Trimless

EASE - Always Serviceable from Below

HOUSING - New Construction, IC-rated, CP Rated, and Retrofit Housing Options

HOUSING - New Construction, IC-rated, CP Rated, and Retrofit Housing Options

**WATTAGE -** 7W, 9W, 11W, 15W

OUTSTANDING GLARE CONTROL - UGR Less than One. Not Measurable.

**BEAM SPREADS** - Narrow to Wide

Classic White<sup>™</sup> 2700K | 3000K | 3500K | 4000K





Black



0.1% Dimming **Options** 



# Lives anywhere & works with any ceiling type





00

38







P









**Optics** like you've never seen before



### the LittleOnes™

usailighting.com | 14

the state to be the

# Seeing is Believing

### Imagine the unexpected.

What would outstanding optical performance in a **tiny 1**" **aperture** look like? USAI's proprietary 5-part optical system delivers a perfect wall wash from the ceiling to the floor.

#### **ENGINEERED FOR PERFECTION**



Uniformity

Beautiful, smooth light illuminates the entire wall from ceiling to floor without shadows.



Precise

Beam

concentrate, comfortable from spread and direct every angle light in all the with no back light. right places.



Ultra

Quality A truly

Best In

**Class Beam** 

which was a safe day

A truly exceptional and first of its kind wall wash optical system in a tiny package.



# **Optics Reimagined**

The LittleOnes produce an excellent wall wash distribution for evenly lit walls from floor to ceiling - with no scalloping, shadows or backlight. Performance once only available in larger fixtures now possible in a 1" aperture.

		14		14		14	14	14	14	
		• 14				• 14				
	1ft - 20	• 20	• 20	• 20	• 20	• 20	• 20	• 20	• 20	• 20
	2ft - • 27	• 27	• 27	• 27	• 27	• 27	• 27	• 27	• 27	• 27
	3ft - • 24	• 24	• 24	• 24	• 24	• 24	• 24	• 24	• 24	• 24
	4ft - • 18	• 20	• 18	• 20	• 18	• 20	• 18	• 20	• 18	• 20
41	5ft - • 14	• 14	• 14	• 14	• 14	• 14	• 14	• 14	• 14	• 14
	6ft - • 9	• 11	• 9	• ]]	• 9	• 11	• 9	• 11	• 9	• 11
	7ft - •8	• 8	• 8	• 8	• 8	• 8	• 8	18 <sup>8</sup>	• 8	• 8
	8ft - • 6	• 6	• 6	• 6	• 6	• 6	• 6			• 6
	9ft - • 6	• 6	• 6	• 6	• 6	• 6	• 6		ß	• 6
							100	BAC	21	

#### Perfect Wall Wash Lights Smoothly from Ceiling to Floor

Measurements taken using an 18" on center spacing and 24" wall offset



#### All in the Engineering

- Exceptional **4.5 : 1** Vertical Uniformity Ratio.
- USAI's patented **5-part optical system** delivers even light all the way to the ceiling line.

# **Quiet, Tiny and Powerful**

LittleOnes Micro makes it possible to light ceilings with smaller and more efficient light fixtures.





### the LittleOnes Micro Optics

Tiny fixture footprint fits in small spaces

# **Double Duty for Busy Spaces**

## the LittleOnes Zepto Optics



Engineered housing for optimal thermal management, providing premium light quality over fixture lifetime Up to 1050 Delivered Lumens Highly efficient LED light engine with 2-step MacAdam ellipse color consistency Best-in-Class glare control, UGR <1 (not measurable) and beam quality

## Power and Comfort Together with Zepto

the LittleOnes Zepto delivers an incredible punch from a miniscule aperture to illuminate any type of space, all while keeping ceilings quiet and comfort maximized with such amazing glare control that its glare level is not even measurable! Delivering up to 1050 lumens, this LittleOne easily provides the light you need for the most demanding of tasks and applications.

#### Actual Size



# Solutions for every installation



## the LittleOnes Micro Install & Service from Below

During renovations and projects with existing ceilings, simplicity is key. Why remove an entire ceiling when you don't have to? With the LittleOnes Micro 1.25" flanged fixtures, installation from below is simple. A tiny, beautiful, and serviceable light fixture is only three steps away.



#### CUT

Cut ceiling opening in drywall, wood, metal, or robust acoustical material with commonly available drillbit (for round) or saw (for square)

CONNECT Connect trim to remote driver with a simple quick connector

#### INSERT

Squeeze spring clips together, and push LittleOnes Micro flanged trim into ceiling opening until the flange meets the surface

#### Install and Service from Below.



 $4 - \frac{3}{8}''$ 

Retrofit (RT) (Flanged Only)

Retrofit (Flanged Only) the LittleOnes Micro 1.25" can be installed in existing ceilings for retrofit applications. Simply cut a hole in existing drywall or wood ceilings to install the flanged trim.

#### Install from Above. Service from Below.





New Construction (NC) Rough-In (required for Trimless, Millwork, and ACT ceiling installations)

**New Construction Rough-In** A rough-in housing option is available for all new construction projects and a variety of ceiling types, including acoustical ceilings

#### Install from Above. Service from Below.



Insulation Contact (IC) Chicago Plenum (CP)\*

**Insulation Contact** An IC-Rated housing allows placement of the LittleOnes Micro 1.25" in direct contact with insulation, whether a flanged, trimless, or millwork aesthetic is desired.

\*Remote power supplies required for all LittleOnes Micro fixtures











Side View



#### Chicago Plenum

Our CP-rated rough-in housing satisfies Chicago's plenum requirements.

# the LittleOnes Zepto Service from Below

Zepto's proprietary, patented design makes the impossible possible – allowing LittleOnes Zepto to illuminate with 15W of sheer power AND serviceable from below through a <sup>3</sup>/<sub>4</sub>" aperture. the LittleOnes Zepto LED light engine and optics can be accessed and swapped out from below the ceiling plane in 3 easy steps, without any mess or disruption to the ceiling.



#### PULL

Pull down on LittleOnes Zepto trim using your thumb to remove trim.

#### TWIST

Insert servicing tool to key into optics and light engine, twist counter-clockwise, then pull to remove from housing

#### **SWAP**

Disconnect power, and quick connection wiring. Replace light engine and optic.

#### Service from Below.



1 1/8″

New Construction Housing (NC REMOTE) Insulation Contact (IC) Chicago Plenum (CP) \*For use with remote power supply only

#### Service from Below.





**New Construction Housing** with Integral Driver (NC INTEGRAL)\*

\*Above ceiling access required for all integral driver housing installations

#### 27 | usailighting.com







# Installation Made Easy with Remote Drivers

### **Multiple Dimming Choices**

USAI's LittleOnes are compatible with all common lighting controls; choose from 0-10V, Phase, EcoSystem, DMX, or DALI dimming



# All in the family consistent roomside appearance



### the LittleOnes™

usailighting.com | **32** 



### A Size for Every Space



Square + Round

# **Tiny Meets Small**

Meet all of your LED downlight needs at USAI Lighting. Each product has its own set of capabilities with a full family of offerings. Choose from a complete platform of high-performance light fixtures to address every design requirement with the greatest flexibility from space-to-space.



4.5"





LittleOnes **Micro** 1.25"



BeveLED® 2.2

# All in the Family

USAI Lighting believes in the power of innovating for small whether it's housings, recessed downlights or surface mounts and pendants. Mix and match to suit your design needs.



#### SHALLOW HOUSINGS



BabyLED® **3″** aperture



BeveLED® Flat FT 4.5" aperture





LittleOnes Zepto **1 ''** 



LittleOnes Micro
1.25"



Micro 1.25" cells



SliverLED®



BeveLED Mini<sup>®</sup> **3**"

#### SMALL SURFACE MOUNTED + PENDANTS



Micro Pendant **1" cells** 



NanoLED® Glow Cylinder **3″** 



NanoLED® Cylinder **3″** 



BeveLED Mini® Cylinder **3.5**"

### Which LittleOne is right for your space?

Lighting That Checks Every Box

	LittleOnes Micro	LittleOnes Zepto
TRIM		
Ceiling Aperture	1.25"	1"
Optical Aperture	7/8"	3⁄4"
Round	<b>O</b>	
Square	<b>O</b>	
Trimmed	<b>O</b>	Microflange
Trimless	<b>O</b>	<b>S</b>
Millwork	<b>O</b>	
HOUSINGS		
Rough in Housing	٢	Required
For Shallow Plenum	<b>O</b>	<ul><li>✓</li></ul>
IC Housing	0	<b>S</b>
CP Housing	<b>O</b>	<b>S</b>
Wet Location	<b>O</b>	<b>S</b>
PHOTOMETRICS		
Source Lumens*	825 - 1050lm	825 - 1550lm
Delivered Lumens*	400 - 850lm	500 - 1050lm
Wattage	7W, 9W	7W, 9W, 11W, 15W
Downlight	<b>O</b>	<b>S</b>
Adjustable	0	
Wall Wash	<b>O</b>	<b>S</b>
Cutoff Angle (Downlight)	60°	50°
Beam Spreads Narrow to Wide	<b>O</b>	<b>S</b>
INSTALLATION		
Serviceable from Below	<b>O</b>	Ø
Install from Below	Trimmed only	
Remote Drivers	<b>O</b>	<b>S</b>
Integral Driver Option		<b>S</b>
USAI Enclosures for Remote Drivers		Ø

# FAQs

#### Q: Do the LittleOnes always require remote drivers? Where is the ideal location for remote drivers and how far away can I position them?

A: Due to the LittleOnes' miniscule size and tiny 1" apertures, it is not possible to components. USAI's engineering has access dimming drivers for service from below the ceiling. All of the LittleOnes are available with remote drivers which can easily be accessed in service panels or electrical closets, and they can be located up to 100 ft away depending on wire gauge used. We do have one housing option with Zepto that can house an integral driver, but this fixture would require above ceiling access to remove that driver from the housing for service.

#### Q: Which control systems are compatible with the LittleOnes?

A: As with all USAI Lighting products, the LittleOnes are compatible with every major architectural control system you could choose to use, including 0 - 10V low voltage dimming, line voltage phase dimming, and digital dimming protocols such as DMX, DALI, and Lutron EcoSystem.

#### Q: How well will the LittleOnes light my walls? How close do they need to be?

A: Despite their tiny size, the LittleOnes are outstanding in wall wash applications, providing perfect uniformity from floor to ceiling. For best results, we recommend placing them 24" from the wall and no more than 18" apart from each other.

#### Q: Can I place the LittleOnes in wet locations such as showers and outdoor covered spaces? A: Yes! All of the LittleOnes are UL dry/ damp/wet location rated.

LittleOnes?

great together.

#### **Q: Can I service the LittleOnes** LED and optics from below?

A: Yes! If a change is desired in LED color or optics and beam spread, you may need to access internal made this access easy and painless.

#### Q: How far apart can I space the LittleOnes and still light evenly?

A: Even though they're only 1" in size, we have found that the LittleOnes can be placed up to 4', 5', and 6' apart while still delivering useful light and great uniformity. If you're not sure, you can always contact USAI for help with applications calculations for your project.

#### Q: What is the maximum ceiling height recommended for the

A: The answer to this question depends on how much light you need, and how closely you are placing the LittleOnes to each other. We have found that the LittleOnes can provide beautiful illumination in 8', 10', and 12' ceilings. When ceiling heights get to 14' and higher, consider using other USAI products with larger apertures and more light output; we offer a full family of companion products for the LittleOnes with similar trim aesthetics - so they look

#### Q: How do I use the LittleOnes as emergency fixtures?

A: The LittleOnes can be specified with a remote emergency power module. Simply use the One Fixture per Driver ordering tables to specify the LittleOnes light fixture of your choice, and then specify a remote dimming driver with the EM option. All remote dimming drivers with the EM option require aremote enclosure. Two or more fixture per driver options can be used asemergency fixtures with the use of inverters. See spec sheets for details.

#### Q: When should I use the install from below option vs install from above?

A: The LittleOnes family is designed to be as flexible as possible for all installation types. The install from below option of the LittleOnes Micro downlight can be utilized when installing in a sheetrock ceiling that is already in place. If installing in ACT, Millwork, or for a spackled in trimless aesthetic the LittleOnes offer install from above options.

#### Q: In what ceiling types do the LittleOnes work?

A: The LittleOnes family works in almost every type of ceiling imaginable, including but not limited to: sheetrock, plaster, wood, tile, acoustical tiles, metal panels, and more. The LittleOnes also offers ICrated and CP-rated housing options to meet specific construction requirements.









#### CALL, EMAIL, OR VISIT USAILIGHTING.COM TO LEARN MORE

USAI LIGHTING COLLABORATORY 13 CROSBY STREET NEW YORK, NY 10013 (845) 234-4090 SHOWROOM@USAILIGHTING.COM

#### USAI LIGHTING HEADQUARTERS 1126 RIVER ROAD NEW WINDSOP, NY 12553

1126 RIVER ROAD NEW WINDSOR, NY 12553 (845) 565-8500 INFO@USAILIGHTING.COM © 2021 USAI Lighting. All rights reserved. the LittleOnes are registered trademarks of USAI, LLC. All designs protected by copyright. Patents pending. CA-103