



USAI<sup>®</sup> Lighting +  **Armstrong**<sup>®</sup>  
CEILING SOLUTIONS

# Partnership Products Portfolio

LIGHTING + CEILING INTEGRATION

This is how  
**perfect** works





# A Partnership That Makes The Impossible, Possible

Ceiling and lighting integration is at its best when two premiere companies collaborate for perfection. Always looking for ways to raise the standard in product performance and design aesthetics, **USAI® Lighting** and **Armstrong® Ceiling Solutions** offer architects, designers and contractors solutions to integrate recessed downlights with ceiling systems – seamlessly with repeatable precision every time.

Lighting designers and architects now have all of the important tools they need with complete solutions available across the **USAI® Lighting** and **Armstrong® Ceiling Solutions** product lines, while also satisfying a visual aesthetic that has not been possible in the past. Explore the possibilities.

FINDING THE PERFECT FIT

## contents

03

USAI® + WoodWorks® Ceiling Systems

05

BeveLED® + MetalWorks™ Ceiling Systems

07

USAI® Connect™ for  
Intersection Downlighting

09

USAI + TechZone® Ceiling Systems

11

Trimless Acoustical Lighting +  
Center Cut Panels

17

BeveLED® + Plasterform™  
Metaphors® Ceilings

19

Trimless Acoustical Lighting +  
AirAssure™ Ceiling Panels

21

USAI + AcoustiBuilt® Seamless  
Acoustical Ceiling System





USAI LIGHTING AND ARMSTRONG CEILING SOLUTIONS

# USAI Lighting + WoodWorks® Ceiling Systems

BeveLED and Micro product families are meticulously designed and engineered for perfect fit and alignment with vertical and horizontal WoodWorks® ceiling panels.

## WoodWorks® Grille


(Vertical Slats)



Micro®



LED Color Choice



Classic White®

## WoodWorks® Linear Solid Wood Panels


(Horizontal Slats)



BeveLED 2.2®



LED Color Choices



Classic White®



Warm Glow® Dimming




Color Select® Tunable White


(Horizontal Slats)



BeveLED Mini®



LED Color Choices



Classic White®



Warm Glow® Dimming



Color Select® Tunable White

## WoodWorks® Grille Tegular


(Vertical Slats\*)



Micro®



LED Color Choice



Classic White®

\* WoodWorks® Grille Tegular Vertical Slats only available with Micro


(Horizontal Slats)



BeveLED Mini®



LED Color Choices



Classic White®




Warm Glow® Dimming



Color Select® Tunable White


(Horizontal Slats)



Micro®



LED Color Choice



Classic White®




SNAP to learn more about WoodWorks.



# BeveLED® + MetalWorks™ Ceiling Systems

USAI's iconic BeveLED Mini and BeveLED2.2 trimless square fixtures are exclusively designed and engineered to fit perfectly into MetalWorks™ precise factory-cut downlight panels.



## BeveLED® + MetalWorks™ Ceiling Systems

### BeveLED® Aperture Sizes



BeveLED Mini® Square



3"

BeveLED® 2.2 Square



4.5"

### LED Color Choices

-  Classic White®
-  Warm Glow® Dimming
-  Color Select® Tunable White
-  Infinite Color+®



**SNAP** to learn more about MetalWorks.



**MetalWorks™ Torsion Spring**  
(shown with Whitelume and Gun Metal finish)



**MetalWorks™ Clip-on**  
(shown with Gun Metal finish)



**MetalWorks™ Torsion Spring Shapes**  
(shown with Whitelume finish)





USAI LIGHTING AND ARMSTRONG CEILING SOLUTIONS

# USAI® Connect™ for Intersection Downlighting

Connect for Intersection Downlighting places our specially designed LED recessed downlights at the intersection of the ceiling grid – allowing for perfect alignment of lighting and architecture.



**SNAP** to learn more about Intersection Downlighting

## Connect for Intersection Downlighting

Effortlessly placing recessed downlights at the intersection of the ceiling grid.

### Connect Aperture Sizes ↓



**1.75"**  
SliverLED® Connect™  
Square



**3"**  
BeveLED® Mini  
Square



**3"**  
TrueZero® Connect™  
Square

### USAI LED Color Choices

-  Classic White®
-  Warm Glow® Dimming
-  Color Select® Tunable White

### Armstrong® Ceiling Panels

Calla® (2'x2')

### Compatible Grids

- Silhouette®
- Suprafine®
- Interlude®





USAI LIGHTING AND ARMSTRONG CEILING SOLUTIONS

# USAI + TechZone® Ceiling Systems

The TechZone 6-inch and TechZone 4-inch ceiling ranges are available with corresponding USAI recessed downlights that position between the grid – allowing for perfect alignment of lighting and architecture.



SNAP to learn more about TechZone.

## Connect for 4" TechZone®

Seamless integration.

### Connect Aperture Sizes ↓



3"

BeveLED Mini® Connect™  
for 4" TechZone  
Square



3"

True03™ Connect™  
for 4" TechZone  
Square

## 6" TechZone



4.5"

BeveLED 2.2 for 6" TechZone  
Round



4.5"

BeveLED 2.2 for 6" TechZone  
Square

### USAI LED Color Choices

- Classic White
- Warm Glow® Dimming
- Color Select®  
Tunable White

### Armstrong® Panels for Connect for 4" TechZone

Calla® (4'x4' & 4'x5')  
Lyra® PB (4'x4' & 4'x5')  
Optima® PB (4'x4' & 4'x5')  
Ultima® (4'x4' & 4'x5')

### Compatible Grids for Connect for 4" TechZone

Silhouette®  
Suprafine®  
Interlude®



# Trimless Acoustical Lighting + Center Cut Panels

Armstrong Ceiling Solutions’ precut ceiling panels are designed exclusively for perfect placement of USAI’s BeveLED® Family’s recessed, LED light fixtures to create a consistently clean, trimless finish with a drywall appearance.

## Trimless Acoustical Lighting + Center Cut Panels

Achieve the look of drywall in acoustical ceiling panels.

### BeveLED Aperture Sizes ↓



**3"**  
BeveLED Mini®  
Round



**3"**  
BeveLED Mini®  
Square



**4.5"**  
BeveLED® 2.2  
Round




**4.5"**  
BeveLED® 2.2  
Square

### USAI LED Color Choices

-  Classic White®
-  Warm Glow® Dimming
-  Color Select® Tunable White
-  Infinite Color+®

### Armstrong® Ceiling Center Cut Panels

- Calla®** (2'x2')
- Lyra® PB** (2'x2', 30"x30" & 4'x4')
- Optima® PB** (2'x2', 30"x30" & 4'x4')
- Ultima®** (2'x2' & 30"x30")
- Ultima® High NRC** (2'x2' & 30"x30")

 **AirAssure™** options available for **Calla® Health Zone™** panels **Ultima® Health Zone™** panels

### Compatible Grids

- Silhouette®
- Suprafine®
- Interlude®

For use only with USAI's Trimless Acoustical Product Family.



**SNAP** to learn more about Trimless Acoustical Lighting

# Making the Impossible Possible

Traditionally, acoustical ceiling panels are manually cut and require trimmed recessed fixtures to cover up jagged edges. Armstrong’s factory-prepared, center-cut panels paired with USAI’s snap-in mounting system provide for perfect lighting and ceiling integration every time.



**TRADITIONAL OPTION** for Acoustical Ceiling Panels




**NEW** Standardized Integrated Solutions

## Easy 3-Step Installation



**1** Place Precut Panel Into Grid 1" Cutting + Waste Eliminated



**2** Place Fixture with Snap-In Mounting System - Seismically Rated Self Leveling + Centering



**3** Insert USAI's Trimless Acoustical Trim



**=** Perfect Fit Everytime Flange Eliminated

BevELED® 2.2  
Trimless Acoustical Lighting

# Perfect Everytime

Engineered for precision and ease.

- Perfect Precut Panels
- Perfectly Centered Light
- Perfectly Aligned Installation
- Snap-In Mounting System

## 1<sup>5</sup>/<sub>16</sub>" Rapid Renovations

Elevate environments with Trimless Acoustical Lighting. Replace light fixtures and ceiling panels while using the building’s existing 9<sup>9</sup>/<sub>16</sub>" and 1<sup>5</sup>/<sub>16</sub>" grids for quick and easy renovations.







# New Specialty Panel Options



SNAP to learn  
more about products  
in this section.





# USAI + Plasterform™ Metaphors® Ceilings

## USAI for Plasterform™ Metaphors® Ceilings

USAI Lighting for Plasterform Metaphors Ceilings’ precast suspended 24” x 24” panels.

### BeveLED Trimmed Aperture Sizes ↓



**3"**  
BeveLED Mini®  
Square Trimmed



**4.5"**  
BeveLED® 2.2  
Square Trimmed



**4.5"**  
BeveLED® 2.2  
Round Trimmed



**6"**  
BeveLED® 5.0  
Square Trimmed

## BeveLED® + Plasterform™ Metaphors® Ceiling Panels



Pinnacle Type C (24” x 24”)  
**3"**  
BeveLED® Mini  
Square



Pinnacle Type E (24” x 24”)  
**6"**  
BeveLED® 5.0  
Square



Tidal (24” x 24”)  
**4.5"**  
BeveLED® 2.2  
Square



Botanical (24” x 24”)  
**4.5"**  
BeveLED® 2.2  
Round



Botanical Reversed (24” x 24”)  
**4.5"**  
BeveLED® 2.2  
Round



Crests (24” x 24”)  
**4.5"**  
BeveLED® 2.2  
Round

### USAI LED Color Choice



**SNAP** to learn more  
about Plasterform  
Metaphors Ceilings




# Trimless Acoustical Lighting + AirAssure™ Ceilings


USAI’s Trimless Acoustical Lighting Solutions are placed perfectly within Armstrong Ceiling Solutions' pre-cut ceiling panels to create a consistent fit and finish project installation.

### Seal the Ceiling

AirAssure ceilings have factory gasketed edges that reduce air leakage through the ceiling plane to direct airflow more effectively and improve indoor air quality. The consistent tight fit between Trimless Acoustical Lighting and Armstrong Ceiling Solutions’ pre-cut ceiling panels is ideal for most environments. For critical environments, AirAssure gasket can be added to USAI downlights.



A variety of textures are available on AirAssure ceilings.



## USAI for AirAssure Ceiling Panels

Smooth panels with factory-gasketed edges contribute to cleaner, healthier, safer, indoor air quality for every space.

### BeveLED for Trimless Acoustical Lighting Aperture Sizes ⬇



3"  
BeveLED Mini®  
Round



3"  
BeveLED Mini®  
Square



4.5"  
BeveLED® 2.2  
Round



4.5"  
BeveLED® 2.2  
Square

### USAI LED Color Choices

-  Classic White®
-  Warm Glow® Dimming
-  Color Select® Tunable White
-  Infinite Color+®

### Armstrong® Compatible Center Cut Panels

- Calla Health Zone panels
- Ultima Health Zone panels

Applicable with Trimless Acoustical + Center Cut Panels Product Family



SNAP to learn more about AirAssure.



# USAI + AcoustiBuilt® Seamless Acoustical Ceiling System




## USAI Protective Cover

Only USAI provides all fixtures with clear acrylic protective covers to ensure fixtures are safe while applying the Fine Texture Finish for AcoustiBuilt.

## USAI for AcoustiBuilt Ceiling System

USAI Lighting’s recessed fixtures for new seamless acoustical ceiling and wall system that looks like drywall, but offers Total Acoustics® performance, the ideal combination of sound absorption and sound blocking.

### USAI Trimless Aperture Sizes ↓



1"  
LittleOnes™ Zepto™  
Round



1.25"  
LittleOnes™ Micro  
Round and Square



3"  
BeveLED® Mini  
Round and Square



4.5"  
BeveLED® 2.2  
Round and Square



5.0"  
BeveLED® 5.0  
Round and Square

### USAI LED Color Choices

-  Classic White®
-  Warm Glow® Dimming
-  Color Select® Tunable White
-  Infinite Color+®



**SNAP** to learn  
more about  
AcoustiBuilt Ceilings



# USAI

## Product Tiers

TIER 1 \$ ● ●

TIER 2 \$ \$ ●

TIER 3 \$ \$ \$



## All tiers share the same roomside appearance.

Specify from various product pricing tiers across a project to meet budget requirements, while retaining a consistent aesthetic.

**USAI**<sup>®</sup>  
Lighting

CALL, EMAIL, OR VISIT [USAILIGHTING.COM](https://usailighting.com) TO LEARN MORE

**USAI LIGHTING COLLABORATORY**  
13 CROSBY STREET  
NEW YORK, NY 10013  
(845) 234-4090  
[SHOWROOM@USAILIGHTING.COM](mailto:SHOWROOM@USAILIGHTING.COM)

**USAI LIGHTING HEADQUARTERS**  
1126 RIVER ROAD  
NEW WINDSOR, NY 12553  
(845) 565-8500  
[INFO@USAILIGHTING.COM](mailto:INFO@USAILIGHTING.COM)

©2022 USAI, LLC. All rights reserved.  
USAI, BeveLED, BeveLED Mini, True Zero, Connect, Classic White, Warm Glow, Color Select and Infinite Color+ are registered trademarks of USAI LLC. All designs protected by copyright. Covered by US Patents. Patents pending. Armstrong®, the Armstrong logo WoodWorks®, MetalWorks™, TechZone®, AirAssure™, Plasterform™ Metaphors®, AcoustiBuilt®, Total Acoustics® are trademarks of AWI Licensing LLC. CA-113