

# USAI Declare Label Product Guide

## Final assembly location *Where was the product made?*

## Chemical ingredients *What is in this product?*

## Red List compliance *Are there Red List ingredients in this product?*

# Declare.

### Product Name Manufacturer

**Final Assembly:** First City, State, Country;  
Second City, State, Country; Third City, State, Country  
**Life Expectancy:** 50 Years  
**Embodied Carbon:** # kg CO<sub>2</sub>-eq ■  
**Declared Unit:** # m<sup>2</sup>  
**End of Life Options:** Recyclable (95%), Landfill (5%),  
Take Back Program (Program Name/Location)

### Ingredients:

**Your First Component:** Sustainably Sourced Ingredient;  
**LBC Red List Ingredient:** **Your Second Component:**  
**LBC Watch List Priority for Inclusion:** Non-Toxic Ingredient;  
Undisclosed (<0.1%)<sup>2</sup>

<sup>1</sup>LBC Temp Exception RL-009 Formaldehyde  
<sup>2</sup>LBC Temp Exception RL-004var.a Proprietary Ingredients

### Living Building Challenge Criteria: Compliant

#### I-13 Red List:

☐ LBC Red List Free **% Disclosed:** 99.9% at 100ppm  
☒ LBC Red List Approved **VOC Content:** # g/L  
☐ Declared

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017

**I-14 Responsible Sourcing:** Product Available with FSC Chain of Custody

XXX-XXXX  
EXP. 01 OCT 2021  
Original Issue Date: 20XX

Third  
Party  
Verified

MANUFACTURER CLAIMS VERIFIED BY THIRD PARTY VERIFIED ASSESSOR  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](http://living-future.org/declare)

## Life expectancy + end of life options

*How long will this product last  
+ what do you do with it when  
you're done with it?*

## VOC info

*Does this product off-gas?*

## LIVING BUILDING CHALLENGE 4.0

The International Living Future Institute (ILFI) is a global nonprofit organization that operates the Living Building Challenge (LBC), a performance standard for healthy and sustainable buildings. The ILFI manages the Declare label platform and product approvals for LBC projects.

If you have a LBC project you will need to select [DECLARE](#) labeled products.

## Lighting Category: Material

## LIVING BUILDING CHALLENGE CRITERIA:

3 possible status can be achieved

- RED LIST FREE products disclose 100% of ingredients present at or above 100 ppm (0.01%) in the final product and do not contain any Red List chemicals.
- RED LIST APPROVED products disclose a minimum of 99% of ingredients present in the final product and meet the LBC Red List Imperative requirements through one or more approved exceptions.
- DECLARED products disclose 100% of ingredients present in the final product but contain one or more Red List chemicals that are not covered by an approved exception.

## WHY DECLARE?

- Contribute to Living Building Challenge, LEED, and WELL projects.
- Declare is the only label that combines material transparency and the Red List. It distills complex chemical ingredient information into an easy to read label.
- Declare helps you find and specify Red List Free products, which are healthy for people, the environment, and communities.



## BEVELED MINI<sup>®</sup> COMPLETE RECESSED LED LIGHT FIXTURE FAMILY



BeveLED Mini is our iconic product family of 3" aperture downlights delivering from 775 to 2025 lumens in wattages from 9W to 20W. Classic White, Warm Glow Dimming, Color Select Tunable White, and dynamic Infinite Color+ WRGB LED color options are all available. Additional enhancements include 0.1% dimming, wet locations, ultra-shallow housings and 15° optic options – all while featuring Adaptable Apertures for easy field conversion from trimmed to trimless to millwork.



[usailighting.com/mini](https://usailighting.com/mini)

**DECLARE ID:** USL-0001

**LICENSE EXPIRATION:** 01 SEP 2024

**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT

**I-13 RED LIST (DECLARATION STATUS):** **LBC RED LIST APPROVED**

**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE

**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE

**EXCEPTIONS:** RL-002 - SMALL ELECTRICAL COMPONENTS, RL-004B - PROPRIETARY INGREDIENTS IN DECLARE

**LIVING PRODUCT CHALLENGE (LPC) CERTIFIED:** NO

**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA

**LIFE EXPECTANCY:** 5+ YEAR(S)

**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

# Declare.

## BeveLED Mini Complete Family Recessed LED Light Fixture USAI Lighting

**Final Assembly:** New Windsor, NY, USA

**Life Expectancy:** 5+ Year(s)

**End of Life Options:** Recyclable (94%), Landfill (6%)

### Ingredients:

**B3 Recessed LED Housing:** Steel; Galvanized Steel; Aluminum; Vinyl labels; Nylon; **Packaging and Instructions:** Cellulose; **Aperture Plate:** Steel; Aluminum; LEXAN; Galvanized Steel; Polyethylene; **B3 Trim Casting:** Galvanized Steel; Aluminum; Powdercoat Paint; Vinyl labels; **RoHS Electronic Dimming Driver:** RoHS Electronics<sup>1</sup>; **Optic:** LEXAN; Undisclosed (0.573%)<sup>2</sup>; **Wires:** Copper; Glass, oxide, chemicals; **Cabling:** Glass, oxide, chemicals; Aluminum; Polyethylene; **Driver Assembly Connectors:** Polyamide fibers; Brass; Galvanized Steel; **LED Module Assembly:** RoHS Electronics<sup>1</sup>; **Trim Lens:** Undisclosed (0.39%)<sup>2</sup>; Undisclosed (0.039%)<sup>2</sup>; **Bubble Wrap:** Polyethylene

<sup>1</sup>LBC Temp Exception RL-002 - Small Electrical Components

<sup>2</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

### Living Building Challenge Criteria: Compliant

#### I-13 Red List:

☐ LBC Red List Free % Disclosed: 99% at 100ppm  
☒ LBC Red List Approved VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable


USL-0001

EXP. 01 SEP 2024

Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

## BEVELED<sup>®</sup> 2.2 COMPLETE RECESSED LED LIGHT FIXTURE FAMILY



BeveLED 2.2 is our product family of 4.5" aperture downlights delivering from 775 to 3450 lumens in wattages from 9W to 36W. Classic White, Warm Glow Dimming, Color Select Tunable White, and dynamic Infinite Color+ WRGB LED color options are all available. Additional enhancements include 0.1% dimming, wet locations, Glow Glass trim and 10° optic options – all while featuring Adaptable Apertures for easy field conversion from trimmed to trimless to millwork.



[usailighting.com/22](https://usailighting.com/22)

**DECLARE ID:** USL-0002  
**LICENSE EXPIRATION:** 01 SEP 2024  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** **LBC RED LIST APPROVED**  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-002 - SMALL ELECTRICAL COMPONENTS  
**LIVING PRODUCT CHALLENGE (LPC) CERTIFIED:** NO  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 93.5% RECYCLABLE, 6.5% LANDFILL

# Declare.

## BeveLED 2.2 Complete USAI Lighting

**Final Assembly:** New Windsor, New York, USA

**Life Expectancy:** 5+ Year(s)

**End of Life Options:** Recyclable (93.5%), Landfill (6.5%)

### Ingredients:

**HSG:** Steel; Aluminum; Iron; Galvanized Steel; Zinc; Acetone; Nylon; **Packaging and Instructions:** Cellulose; Polyethylene; **Aperture Plate:** Acetone; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Aluminum; Zinc; Polyethylene; **Mounting:** Iron; Zinc; **Driver:** Zinc; RoHS Electronics<sup>1</sup>; Aluminum; **Trim:** Aluminum; Steel; Acetone; Iron; **Optics:** Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Polyethylene Terephthalate; **Wires:** Copper; Polyethylene; **Wiring Connectors:** Hexanedioic acid, polymer with 1,3-benzenedimethanamine; **Trim Lens:** Polyethylene Terephthalate; **Cable wire:** Polyethylene

<sup>1</sup>LBC Temp Exception RL-002 - Small Electrical Components

### Living Building Challenge Criteria: Compliant

#### I-13 Red List:

☐ LBC Red List Free      % Disclosed: 100% at 100ppm  
☒ LBC Red List Approved      VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable

USL-0002  
 EXP. 01 SEP 2024  
 Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
 INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

## THE LITTLEONES<sup>®</sup> ZEPTO<sup>®</sup> RECESSED LED LIGHT FIXTURE FAMILY



The LittleOnes Zepto is our tiny 1" aperture recessed product family delivering from 275 to 1100 lumens in wattages from 7W to 15W. Available in Classic White with downlight and wallwash distributions, this top-performing downlight features best-in-class glare control, and its diminutive size means it won't distract attention away from the lit space.



[usailighting.com/lozepto](https://usailighting.com/lozepto)

**DECLARE ID:** USL-0003  
**LICENSE EXPIRATION:** 01 DEC 2024  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**LIVING PRODUCT CHALLENGE (LPC) CERTIFIED:** NO  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

# Declare.

## Zepto USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 5+ Year(s)  
**End of Life Options:** Recyclable (94%), Landfill (6%)

### Ingredients:

Galvanized Steel; Cellulose; Aluminum; Iron; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Vinyl labels; Nylon 6; Undisclosed (0.169%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

### Living Building Challenge Criteria: Compliant

#### I-13 Red List:

- |   |                               |
|---|-------------------------------|
| <input type="checkbox"/> LBC Red List Free                | % Disclosed: 99.83% at 100ppm |
| <input checked="" type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable   |
| <input type="checkbox"/> Declared                         |                               |

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable

USL-0003  
EXP. 01 DEC 2024  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)



## THE LITTLEONES<sup>®</sup> MICRO RECESSED LED LIGHT FIXTURE FAMILY



The LittleOnes Micro is our tiny 1.25" aperture recessed product family delivering from 250 to 800 lumens in wattages from 7W to 9W. Available in Classic White and Dim to Warm LED color options with downlight, adjustable and wallwash distributions in both round and square, this super versatile product can provide a beautiful lighting solution for every space.



[usailighting.com/lomicro](https://usailighting.com/lomicro)

**DECLARE ID:** USL-0004

**LICENSE EXPIRATION:** 01 JAN 2025

**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT

**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED

**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE

**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE

**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE

**LIVING PRODUCT CHALLENGE (LPC) CERTIFIED:** NO

**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA

**LIFE EXPECTANCY:** 5+ YEAR(S)

**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

# Declare.

## The LittleOnes Micro USAI Lighting

**Final Assembly:** New Windsor, New York, USA

**Life Expectancy:** 5+ Year(s)

**End of Life Options:** Recyclable (94%), Landfill (6%)

### Ingredients:

Aluminum; Cellulose; Nylon 6; Galvanized Steel; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Vinyl labels; Styrene-acrylonitrile copolymers; Polystyrene; Polyethylene Terephthalate; Undisclosed (0.251%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

### Living Building Challenge Criteria: Compliant

#### I-13 Red List:

- |   |                               |
|---|-------------------------------|
| <input type="checkbox"/> LBC Red List Free                | % Disclosed: 99.75% at 100ppm |
| <input checked="" type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable   |
| <input type="checkbox"/> Declared                         |                               |

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable

USL-0004

EXP. 01 JAN 2025

Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

## THE LITTLEONES<sup>®</sup> MICRO DOUBLES RECESSED LED LIGHT FIXTURE



The LittleOnes Mico Doubles is a simple housing solution to install our popular LittleOnes Micro in pairs. This product pairs two 1.25" aperture fixtures within one housing, with 2", 3" or 5" on center spacings. Available in Classic White and Dim to Warm LED color options with downlight, adjustable and wallwash distributions in both round and square, this product provides double the output and functionality of a single fixture.



[usailighting.com/10doubles](https://usailighting.com/10doubles)

**DECLARE ID:** USL-0005  
**LICENSE EXPIRATION:** 01 JAN 2025  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**LIVING PRODUCT CHALLENGE (LPC) CERTIFIED:** NO  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

# Declare.

## The LittleOnes Micro Doubles USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 5+ Year(s)  
**End of Life Options:** Recyclable (96%), Landfill (4%)

### Ingredients:

Galvanized Steel; Cellulose; Aluminum; Nylon 6; Vinyl labels; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Polyethylene Terephthalate; Styrene-acrylonitrile copolymers; Polystyrene; Glass, oxide, chemicals; Undisclosed (0.047%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

### Living Building Challenge Criteria: Compliant

#### I-13 Red List:

<input type="checkbox"/> LBC Red List Free	% Disclosed: 99.95% at 100ppm
<input checked="" type="checkbox"/> LBC Red List Approved	VOC Content: Not Applicable
<input type="checkbox"/> Declared	

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable

USL-0005  
 EXP. 01 JAN 2025  
 Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
 INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)