



# **USAI's Declare Label Products Guide**

USAI Lighting is committed to helping our customers meet sustainability goals now and in the future through innovative and energy-saving light fixtures. In support of that goal, we have worked with the International Living Future Institute to achieve **Red List Approved Status** for a wide range of our products with published digital Declare labels available online.

USAI will continue to include additional products. Visit the USAI Lighting website to browse through the latest **Declare Label Red-List Approved Products**.



Declare Label Products

USAI’s Declare Red List Approved Products




03 the LittleOnes® Zepto®



04 the LittleOnes® Micro



05 the LittleOnes® Micro Doubles



06 Micro Multi-Cell




07 the LittleTwos™ Pinhole



08 the LittleTwos™ Cylinder



09 Beveled Mini® Complete



10 BeveLED® 2.2 Complete

Final assembly location  
Where was the product made?

Chemical ingredients  
What is in this product?

Red list compliance  
Are there Red List ingredients in this product?

# Declare.

**Product Name**  
**Manufacturer**

**Final Assembly:** First City, State, Country; Second City, State, Country; Third City, State, Country  
**Life Expectancy:** 50 Years  
**Embodied Carbon:** # kg CO<sub>2</sub>-eq  
**Declared Unit:** # m<sup>2</sup>  
**End of Life Options:** Recyclable (95%), Landfill (5%), Take Back Program (Program Name/Location)

**Ingredients:**  
**Your First Component:** Sustainably Sourced Ingredient;  
**LBC Red List Ingredient:** **Your Second Component:** LBC Watch List Priority for Inclusion; Non-Toxic Ingredient; Undisclosed (<0.1%)?

<sup>1</sup>LBC Temp Exception RL-009 Formaldehyde  
<sup>2</sup>LBC Temp Exception RL-004var.a Proprietary Ingredients

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
☐ LBC Red List Free      **% Disclosed:** 99.9% at 100ppm  
☒ LBC Red List Approved      **VOC Content:** # g/L  
☐ Declared

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017  
**I-14 Responsible Sourcing:** Product Available with FSC Chain of Custody

XXX-XXXX  
EXP. 01 OCT 2021  
Original Issue Date: 20XX

MANUFACTURER CLAIMS VERIFIED BY THIRD PARTY VERIFIED ASSESSOR  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](http://living-future.org/declare)

**Life expectancy + end of life options**  
How long will this product last and what do you do with it when you're done with it?

**VOC info**  
Does this product off-gas?

Living Building Challenge 4.1

The International Living Future Institute (ILFI) is a global nonprofit organization that operates the Living Building Challenge (LBC), a performance standard for healthy and sustainable buildings. The ILFI manages the Declare label platform and product approvals for LBC projects.

If you have a LBC project you will need to select Declare labeled products.

Living Building Challenge:

3 Product Declaration Statuses Can Be Achieved

- **RED LIST FREE** products disclose 100% of ingredients present at or above 100 ppm (0.01%) in the final product and do not contain any Red List chemicals.
- **RED LIST APPROVED** products disclose a minimum of 99% of ingredients present in the final product and meet the LBC Red List Imperative requirements through one or more approved exceptions.
- **DECLARED** products disclose 100% of ingredients present in the final product but contain one or more Red List chemicals that are not covered by an approved exception.

Why Declare?

- Contribute to Living Building Challenge, LEED, and WELL projects.
- Declare is the only label that combines material transparency and the Red List. It distills complex chemical ingredient information into an easy to read label.
- Declare helps you find and specify Red List Approved products, which are healthy for people, the environment, and communities.

the LittleOnes® Zepto®  
Recessed LED Light Fixture

the LittleOnes Zepto is our tiny 1” aperture recessed product family delivering from 275 to 1100 lumens in wattages from 7W to 15W. Available in Classic White® with downlight and wall wash distributions, this top-performing downlight features best-in-class glare control, and its diminutive size means it won’t distract attention away from the lit space.

Includes:  
the LittleOnes Zepto  
the LittleOnes Zepto Title24



the LittleOnes Zepto

**DECLARE ID:** USL-0003  
**LICENSE EXPIRATION:** 01 JAN 2026. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

Declare.

LittleOnes Zepto  
USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 5+ Year(s)  
**End of Life Options:** Recyclable (94%), Landfill (6%)

**Ingredients:**  
Galvanized Steel; Cellulose; Aluminum; Iron; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Vinyl labels; Nylon 6; Undisclosed (0.138%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
☐ LBC Red List Free                      % Disclosed: 99.86% at 100ppm  
☒ LBC Red List Approved              VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable

USL-0003  
EXP. 01 JAN 2026  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

the LittleOnes® Micro  
Recessed LED Light Fixture

the LittleOnes® Micro is our tiny 1.25” aperture recessed product family delivering from 250 to 800 lumens in wattages from 7W to 9W. Available in Classic White® and Dim-to-Warm LED color options with downlight, adjustable and wall wash distributions in both round and square, this super versatile product can provide a beautiful lighting solution for every space.

Includes:  
the LittleOnes Micro  
the LittleOnes Micro Title24



the LittleOnes Micro

**DECLARE ID:** USL-0004  
**LICENSE EXPIRATION:** 01 JAN 2025. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

Declare.

The LittleOnes® Micro  
USAI® Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 10 Year(s)  
**End of Life Options:** Recyclable (94%), Landfill (6%)

**Ingredients:**  
Aluminum; Cellulose; Nylon 6; Galvanized Steel; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Vinyl labels; Styrene-acrylonitrile copolymers; Polystyrene; Polyethylene Terephthalate; Undisclosed (0.251%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
☐ LBC Red List Free                      % Disclosed: 99.75% at 100ppm  
☒ LBC Red List Approved              VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable

USL-0004  
EXP. 01 FEB 2026  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)



the LittleOnes® Micro Doubles  
Recessed LED Light Fixture

the LittleOnes® Mico Doubles is a simple housing solution to install our popular LittleOnes Micro in pairs. This product pairs two 1.25” aperture fixtures within one housing, with 2”, 3” or 5” on center spacings. Available in Classic White® and Dim-to-Warm LED color options with downlight, adjustable and wall wash distributions in both round and square, this product provides double the output and functionality of a single fixture.



the LittleOnes Micro Doubles

**DECLARE ID:** USL-0005  
**LICENSE EXPIRATION:** 01 JAN 2025. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

Declare.

The LittleOnes® Micro Doubles  
USAI® Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 10 Year(s)  
**End of Life Options:** Recyclable (96%), Landfill (4%)

Ingredients:

Cellulose; Galvanized Steel; Aluminum; Nylon 6; RoHS Electronics<sup>1</sup>; Styrene-acrylonitrile copolymers; Acrylonitrile-Butadiene-Styrene Copolymer; Polystyrene; Glass, oxide, chemicals; Vinyl labels; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Polyethylene Terephthalate; Undisclosed (0.094%)<sup>2</sup>

<sup>1</sup>LBC Temp Exception RL-002 - Small Electrical Components  
<sup>2</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
☐ LBC Red List Free                      % Disclosed: 99.91% at 100ppm  
☒ LBC Red List Approved              VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable


USL-0005  
EXP. 01 FEB 2026  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

Micro Multi-Cell Recessed and Pendant  
Mounted LED Light Fixture Family

Micro provides a unique aesthetic for downlights, with a new linear form factor and jewel-like presence in the ceiling plane. Ceilings are powerful yet whisper quiet with Micro’s minimal aperture size of just 1.25”. Available as a downlight in 2, 4, 6, 8 and 12 cell configurations, Micro brings elegance and clean style to lobbies, corporate headquarters, hotels and residential applications.

**Includes:**  
Micro Multi-Cell  
Micro Pendant  
Micro Multi-Cell for WoodWorks® Vertical Slats  
Micro Multi-Cell for WoodWorks® Linear Tegular



Micro Multi-Cell

**DECLARE ID:** USL-0006  
**LICENSE EXPIRATION:** 01 JAN 2026. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL

Declare.

Micro Multicell Product Family  
USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 10 Year(s)  
**End of Life Options:** Recyclable (95%), Landfill (5%)

Ingredients:

Cellulose; Aluminum; RoHS Electronics (11.54%)<sup>1</sup>; Iron; Steel; Acrylonitrile-Butadiene-Styrene Copolymer; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Polyethylene; Polystyrene; Undisclosed (0.386%)<sup>1</sup>; Polymethyl methacrylate; Vinyl labels; Undisclosed (0.225%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
☐ LBC Red List Free                      % Disclosed: 87.85% at 100ppm  
☒ LBC Red List Approved              VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable

USL-0006  
EXP. 01 JAN 2026  
Original Issue Date: 2024

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

the LittleTwos™ Pinhole  
Recessed LED Light Fixture

Available as a full family of downlight, adjustable and wall wash, USAI’s high performance 2” aperture pinhole product line can light spaces with ceilings from 8’ to 20’ in height while remaining fully serviceable AND installable from below the ceiling plane.



the LittleTwos Pinhole

**DECLARE ID:** USL-0007  
**LICENSE EXPIRATION:** 01 JAN 2026. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** **LBC RED LIST APPROVED**  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL



LittleTwos Recessed Family  
USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 10 Year(s)  
**End of Life Options:** Recyclable (95%), Landfill (5%)

Ingredients:

Iron; Cellulose; Aluminum; RoHS Electronics (8.966%)<sup>1</sup>; Steel; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Nylon 6; Vinyl labels; Polymethyl methacrylate; Acrylonitrile-Butadiene-Styrene Copolymer; Copper; Undisclosed (0.032%)<sup>1</sup>

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

- |   |                             |
|---|-----------------------------|
| <input type="checkbox"/> LBC Red List Free                | % Disclosed: 91% at 100ppm  |
| <input checked="" type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable |
| <input type="checkbox"/> Declared                         |                             |

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable

USL-0007  
EXP. 01 JAN 2026  
Original Issue Date: 2024

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

the LittleTwos™ Cylinder Surface and  
Pendant Mounted LED Light Fixture

Each LittleTwos Cylinder fixture type features a unique end cap design to achieve specific performance goals. Choose from our full family of standard regress downlight, comfort deep regress, adjustable, glow glass, and wall wash styles to fulfill all of the lighting design requirements on your project.



the LittleTwos Cylinder

**DECLARE ID:** USL-0008  
**LICENSE EXPIRATION:** 01 JAN 2026. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** **LBC RED LIST APPROVED**  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL



LittleTwos Cylinder  
USAI Lighting

**Final Assembly:** New Windsor, NY, USA  
**Life Expectancy:** 10 Year(s)  
**End of Life Options:** Recyclable (97%), Landfill (3%)

Ingredients:

Zinc; Aluminum; RoHS Electronics (14.756%)<sup>1</sup>; Cellulose; Iron; Undisclosed (0.944%)<sup>1</sup>; Glass, oxide, chemicals; Acrylonitrile-Butadiene-Styrene Copolymer; Galvanized Steel; Undisclosed (0.21%)<sup>1</sup>; Undisclosed (0.21%)<sup>1</sup>; Polydimethylsiloxane rubber; Vinyl labels; Undisclosed (0.14%)<sup>1</sup>; Nylon 6; Polyethylene; Polyethylene Terephthalate; Polypropylene; Rubber, synthetic, chlorosulfonated polyethylene

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

- |   |                               |
|---|-------------------------------|
| <input type="checkbox"/> LBC Red List Free                | % Disclosed: 83.74% at 100ppm |
| <input checked="" type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable   |
| <input type="checkbox"/> Declared                         |                               |

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable

USL-0008  
EXP. 01 JAN 2026  
Original Issue Date: 2024

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)



BeveLED Mini® Complete  
Recessed LED Light Fixture

BeveLED Mini® is our iconic product family of 3” aperture downlights delivering from 775 to 2025 lumens in wattages from 9W to 20W. Classic White®, Warm Glow® Dimming, Color Select® Tunable White, and dynamic Infinite Color+® WRGB LED color options are all available. Additional enhancements include 0.1% dimming, wet locations, ultra-shallow housings and 15° optic options – all while featuring adaptable apertures for easy field conversion from trimmed to trimless to millwork.

- Includes:
- BeveLED Mini Complete & Title 24
  - BeveLED Mini Color Select Digital
  - BeveLED Mini Infinite Color+ & Title 24
  - BeveLED Mini Retrofit
  - BeveLED Mini for PoE
  - BeveLED Mini Complete Integrated Ceilings Products - (Trimless Acoustical, WoodWorks, MetalWorks, Turf)



BeveLED Mini Complete

**DECLARE ID:** USL-0001  
**LICENSE EXPIRATION:** 01 SEP 2024. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-002 - SMALL ELECTRICAL COMPONENTS, RL-004B - PROPRIETARY INGREDIENTS IN DECLARE  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 94% RECYCLABLE, 6% LANDFILL



BeveLED Mini Complete Family  
Recessed LED Light Fixture  
USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 5+ Year(s)  
**End of Life Options:** Recyclable (94%), Landfill (6%)

Ingredients:

**B3 Recessed LED Housing:** Steel; Galvanized Steel; Aluminum; Vinyl labels; Nylon; **Packaging and Instructions:** Cellulose; Polyethylene; **Aperture Plate:** Steel; Aluminum; LEXAN; Galvanized Steel; Polyethylene; **B3 Trim Casting:** Galvanized Steel; Aluminum; Powdercoat Paint; Vinyl labels; **RoHS Electronic Dimming Driver:** RoHS Electronics<sup>1</sup>; **Optic:** LEXAN; Undisclosed (0.573%)<sup>2</sup>; **Wires:** Copper; Glass, oxide, chemicals; **Cabling:** Glass, oxide, chemicals; Aluminum; Polyethylene; **Driver Assembly Connectors:** Polyamide fibers; Brass; Galvanized Steel; **LED Module Assembly:** RoHS Electronics<sup>1</sup>; **Trim Lens:** Undisclosed (0.39%)<sup>2</sup>; Undisclosed (0.039%)<sup>2</sup>; **Bubble Wrap:** Polyethylene

<sup>1</sup>LBC Temp Exception RL-002 - Small Electrical Components  
<sup>2</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

**I-13 Red List:**  
☐ LBC Red List Free                      % Disclosed: 99% at 100ppm  
☒ LBC Red List Approved                VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable


USL-0001  
EXP. 01 OCT 2025  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

BeveLED® 2.2 Complete  
Recessed LED Light Fixture

BeveLED® 2.2 is our product family of 4.5” aperture downlights delivering from 775 to 3450 lumens in wattages from 9W to 36W. Classic White®, Warm Glow® Dimming, Color Select® Tunable White, and dynamic Infinite Color+® WRGB LED color options are all available. Additional enhancements include 0.1% dimming, wet locations, glow glass trim and 10° optic options – all while featuring adaptable apertures for easy field conversion from trimmed to trimless to millwork.

- Includes:
- BeveLED 2.2 Complete & Title 24
  - BeveLED 2.2 Color Select Digital
  - BeveLED 2.2 Infinite Color+ & Title 24
  - BeveLED 2.2 Retrofit
  - BeveLED 2.2 Glow & Glow Infinite Color+
  - BeveLED 2.2 for PoE
  - BeveLED 2.2 Complete Integrated Ceilings Products - (TechZone, Trimless Acoustical, WoodWorks, MetalWorks, Turf)



BeveLED 2.2 Complete

**DECLARE ID:** USL-0002  
**LICENSE EXPIRATION:** 01 SEP 2024. Please note the labels are renewed annually.  
**LIVING BUILDING CHALLENGE COMPLIANCE:** COMPLIANT  
**I-13 RED LIST (DECLARATION STATUS):** LBC RED LIST APPROVED  
**I-14 RESPONSIBLE SOURCING:** NOT APPLICABLE  
**I-10 HEALTHY INTERIOR PERFORMANCE:** NOT APPLICABLE  
**EXCEPTIONS:** RL-002 - SMALL ELECTRICAL COMPONENTS  
**FINAL ASSEMBLY LOCATION:** NEW WINDSOR, NY, USA  
**LIFE EXPECTANCY:** 5+ YEAR(S)  
**END OF LIFE OPTIONS:** 93.5% RECYCLABLE, 6.5% LANDFILL



BeveLED 2.2 Complete  
USAI Lighting

**Final Assembly:** New Windsor, New York, USA  
**Life Expectancy:** 5+ Year(s)  
**End of Life Options:** Recyclable (93.5%), Landfill (6.5%)

Ingredients:

**HSG:** Steel; Aluminum; Iron; Galvanized Steel; Zinc; Acetone; Nylon; **Packaging and Instructions:** Cellulose; Polyethylene; **Aperture Plate:** Acetone; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Aluminum; Zinc; Polyethylene; **Mounting:** Iron; Zinc; **Driver:** Zinc; RoHS Electronics<sup>1</sup>; Aluminum; **Trim:** Aluminum; Steel; Acetone; Iron; **Optics:** Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Polyethylene Terephthalate; **Wires:** Copper; Polyethylene; **Wiring Connectors:** Hexanedioic acid, polymer with 1,3-benzenedimethanamine; **Trim Lens:** Polyethylene Terephthalate; **Cable wire:** Polyethylene

<sup>1</sup>LBC Temp Exception RL-002 - Small Electrical Components

Living Building Challenge Criteria: Compliant

**I-13 Red List:**  
☐ LBC Red List Free                      % Disclosed: 100% at 100ppm  
☒ LBC Red List Approved                VOC Content: Not Applicable  
☐ Declared

**I-10 Interior Performance:** Not Applicable  
**I-14 Responsible Sourcing:** Not Applicable

USL-0002  
EXP. 01 OCT 2025  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](https://living-future.org/declare)

# FAQs

**Q: How does the Declare Label reflect USAI Lighting's commitment to sustainability and transparency?**

**A:** USAI Lighting's use of the Declare Label highlights its commitment to sustainability and transparency by disclosing product materials, meeting green building standards, and prioritizing non-toxic, environmentally friendly designs. By identifying whether or not a product incorporates hazardous and/or environmentally harmful ingredients or not, USAI supports designers' initiatives to make informed choices for healthier and environmentally friendly projects.

**Q: What materials are listed in the Declare Label for USAI Lighting products?**

**A:** All of the materials used in USAI's products are disclosed as part of the Declare label process, which includes proprietary and RoHS qualified components. Over 80% of products shipped by USAI have a Declare label, and all USAI Declare labels have achieved Red List Approved status. This ensures USAI products are Living Building Challenge compliant, support transparency and can easily be integrated into sustainable projects.

**Q: How do USAI Lighting products with Declare Labels align with industry standards for sustainability and environmental health?**

**A:** USAI's Declare Label products complement certifications like LEED, WELL, Living Building Challenge and others by providing detailed ingredient transparency.

**Q: What guidelines does USAI provide for the maintenance and longevity of Declare Label products?**

**A:** USAI Lighting ensures the longevity of its products by offering a warranty that guarantees fully serviceable products with replacement parts available for the life of the fixture. Declare Labels are renewed annually. Additionally, USAI's commitment to recyclable materials (with USAI products being typically 94%-96% recyclable at end of life) and energy-saving technologies further supports sustainability and environmental health standards.

**Q: Where can I find updated Declare Label information for USAI Lighting products?**

**A:** Updated Declare Label information for USAI Lighting products can be found on USAI's website [usailighting.com/declare](https://usailighting.com/declare).

**Q: What do I do if a product I want to use doesn't have a Declare Label?**

**A:** USAI is adding new Declare products all of the time. It may be that what you need is already in process. Contact your USAI sales representative for more information.

